


Nonquon River Watershed Management Plan

2012



Acknowledgements

The Nonquon River Watershed Management Plan was prepared by Kawartha Conservation, with assistance from French Planning Services Inc.

Kawartha Conservation would like to thank staff from the following partner organizations on the Technical Review Committee for their valued and thoughtful input throughout the plan development process:

- City of Kawartha Lakes
- Fisheries and Oceans Canada
- Ganaraska Region Conservation Authority
- Mississauga's of Scugog Island First Nation
- Ontario Ministry of Natural Resources
- Ontario Ministry of Municipal Affairs and Housing
- Ontario Ministry of Agriculture, Food and Rural Affairs
- Ontario Ministry of the Environment
- Parks Canada (Trent-Severn Waterway)
- Regional Municipality of Durham
- Township of Scugog

We would also like to extend our thanks to individuals that live within the watershed community and other stakeholders who provided input into this plan, as well as landowners who provided sampling access for the background characterization phase of this project.

Funding for this project was provided by the Regional Municipality of Durham.

About Kawartha Conservation

A plentiful supply of clean water is a key component of our natural infrastructure. Our surface and groundwater resources supply our drinking water, maintain property values, sustain an agricultural industry and support tourism.

Kawartha Conservation is the local environmental agency through which we can protect our water and other natural resources. Our mandate is to ensure the conservation, restoration and responsible management of water, land and natural habitats through programs and services that balance human, environmental and economic needs.

We are a non-profit environmental organization, established in 1979 under the Ontario Conservation Authorities Act (1946). We are governed by the six municipalities that overlap the natural boundaries of our watershed and voted to form the Kawartha Region Conservation Authority. These municipalities include the City of Kawartha Lakes, Township of Scugog (Region of Durham), Township of Brock (Region of Durham), the Municipality of Clarington (Region of Durham), Cavan Monaghan, and Galway-Cavendish & Harvey.

Kawartha Conservation

T: 705.328.2271

F: 705.328.2286

277 Kenrei Road, Lindsay ON K9V 4R1

geninfo@kawarthaconservation.com

www.kawarthaconservation.com

Table of Contents

Acknowledgements	i
About Kawartha Conservation	ii
Table of Contents	iii
1.0 Executive Summary	1
2.0 Introduction	6
2.1 Purpose of Watershed Plan.....	6
2.2 Planning Area	6
2.3 General Description of Watershed.....	9
2.4 Guiding Direction and Other Initiatives	14
2.5 Watershed Plan Development Process.....	18
3.0 Management Goals, Objectives and Targets	21
3.1 Groundwater Quantity	24
3.2 Groundwater Quality	29
3.3 Surface Water Quantity	31
3.4 Surface Water Quality	34
3.5 Aquatic Resources	39
3.6 Terrestrial Resources.....	44
4.0 Implementation Plan	49
4.1 Policy, Practice and Regulations.....	49
4.2 Stewardship Activities	50
4.3 Education, Awareness and Outreach	53
4.4 Monitoring and Research.....	53
4.5 Other Management Activities	53
5.0 Monitoring Plan	68
5.1 Environmental Health.....	68
5.2 Plan Progress	69
5.3 Reporting	70
6.0 Conclusions	78
Glossary of Terms	79
References	83
Appendix - Summary of Public Consultation	84

1.0 Executive Summary

The Nonquon River Watershed includes the drainage area of the Nonquon and Layton Rivers and is the largest of four watersheds draining north from the Oak Ridges Moraine into the broader Lake Scugog watershed. These four watersheds: Nonquon River, Blackstock Creek, East Cross Creek, and the South Scugog Tributaries have concurrently undergone the same watershed planning process, resulting in the production of four watershed plans. These plans have been prepared in response to the Oak Ridges Moraine Conservation Plan (ORMCP), which requires municipalities to prepare watershed plans that outline a strategy to protect and restore the health of the watershed. In preparing these four plans, the Oak Ridges Moraine will be provided with additional protection as will other parts of the broader Lake Scugog watershed. The Regional Municipality of Durham is the responsible municipality, and Kawartha Conservation has been the key planning coordinator and technical advisor.

The Planning Area - The dominant land use within the watershed is agriculture, which comprises approximately 52% of the total land area. There are 6 small hamlets, numerous rural lots and many farms. No major urban growth and expansion is expected to occur within the next 25 years, and as such the watershed will remain distinctly rural in nature for the foreseeable future.

Fifteen percent of the total watershed planning area is within the boundaries of the Oak Ridges Moraine Conservation Plan and the watershed is located within the jurisdiction of five municipalities: Regional Municipality of Durham, including Scugog Township, Brock Township and Uxbridge Township, and City of Kawartha Lakes (**Map 1**).

Status of Watershed Health - For the most part, the results of information gathering and public consultation suggest that the watershed is generally in a good “state of health”. Groundwater is plentiful and of high quality, which is very important to a population that rely on wells for their potable water supply. Surface water flow (creeks and streams) is considered to exhibit a natural flow regime and although no significant flood damage has been recorded, there are thirteen areas within the Nonquon River watershed where road overtopping and washouts do occur and create dangerous situations for motorists.

While agriculture dominates the landscape, extensive areas of natural cover still exist within the watershed, comprising approximately 42% of the total land area. As illustrated on **Map 2** these include the Nonquon River Provincial Wildlife Area, which exists within a large wetland complex in the central portion of the watershed and large forested areas that exist within the Oak Ridges Moraine.

Surface water quality monitoring results indicate that the Nonquon River and many of its tributaries have elevated total phosphorus levels caused by human activities in the watershed. It can be considered as a major water quality threat across the entire watershed and is one of the main causes of eutrophication in Lake Scugog. The watercourses have extensive natural vegetation along their length, at approximately 79%, and meet minimum ecological requirements with respect to total riparian area coverage (i.e., 75% of the total watercourse length being naturally vegetated to a width of 30 metres on both sides). However, riparian areas are lacking along the smaller tributaries which account for over 80% of the total watercourse length within the watershed. Forest have been subjected to threats to their health and existence from forest pest and invasive plants and the percentage of forest cover, including interior and deep forest do not meet minimum ecological requirements.

Fish populations are diverse, and dominated by native species. Brook trout, a sensitive coldwater species, is found in the southern sections of the watershed, but are likely limited by elevated water temperatures and lack of suitable habitat. One serious concern in the watershed is the elevated level of phosphorous in the river, notably in the lower portions of the watershed, and elevated nitrate levels in the upper portions. These are considered to be the result of human activities in the watershed (agricultural and residential runoff primarily).

Plan Direction – Sections 2 and 3 of the plan provide a summary of past and current scientific information on the state of the watershed, drawn primarily from the Nonquon River Watershed Characterization Report. This information, coupled with identified issues, is presented under six elements of watershed health: groundwater quantity; groundwater quality; surface water quantity; surface water quality; aquatic resources; and terrestrial resources. The Plan establishes goals, objectives and targets for the six elements of the watershed, and includes a summary of key issues identified in the characterization report and by the public during public consultation events. Associated with each of the objectives is a description of the general implementation approach to be taken protect, enhance and restore the watershed.



Public Consultation - Consultation with the public was an important part of preparing the four watershed plans. In the case of Nonquon River, this consisted of early public consultation in September 2009 through two public consultation sessions and a survey related to the development of the Nonquon River Fisheries Management Plan. Further public consultation occurred simultaneously for the four watershed plans, in two stages. The first stage, in July, 2011 consisted of two open houses, where the public could view, and discuss with Kawartha Conservation staff, the four watershed plans in progress. These took place July 20th in Nestleton, and July 21st in Greenbank.

The second stage took place in the fall of 2011. This consisted of targeted consultation sessions with key stakeholders (e.g., agricultural, environmental, agency, and other), as well as broader public consultation sessions through two additional public information sessions in Nestleton (November 3rd), and Greenbank (November 2nd). Throughout the planning process, a Technical Review Committee has been involved in the review of each draft version of the plan. Furthermore, this plan was presented and subsequently endorsed by Kawartha Conservation's Board of Directors (February 2012) as well as by Durham Region Planning Committee (March 2012).

Plan Implementation – Section 4 of the Plan includes a detailed listing of management actions (Tables 3 through 7) for each of the watershed elements, categorized by:

1. Policy, Practice and Regulations
2. Stewardship Activities
3. Education, Awareness and Outreach
4. Monitoring and Research
5. Other Management Activities

As well, the tables identify priority levels for each management action, and the lead and supporting agencies, partners or participants needed to undertake the action. The successful implementation of the Nonquon River Watershed Management Plan will depend on the ongoing collaboration between agencies, community groups and landowners.

The key management approaches recommended to address each of the plan's goals and objectives are:

GOAL - Abundant Groundwater

- ◆ *that provides a continuous supply of baseflow to streams; and,*
- ◆ *that provides sustainable commercial and residential use opportunities.*

To effectively address this goal it will be important to improve the existing information base related to groundwater, including better information on existing water usage (private wells, Permits to Take Water, and water taking without permits). Official Plan policies should be updated to protect significant recharge areas from new development, and there should be continued support for the work of the Regional Municipality of Durham and its general education and awareness program for property owners throughout the watershed (agricultural, commercial, residential and new home owners). Research should be undertaken to enhance baseflow discharge assessments.

GOAL - High Quality Groundwater

- ◆ *that provides safe drinking water; and,*
- ◆ *that provides clean water to watercourses to maintain ecological functions.*

Continue to monitor water quality in groundwater wells to build a more reliable database over time. There should be a general education and awareness program for property owners throughout the watershed (agricultural, commercial, residential and new home owners) about well and septic system care and maintenance. The education and awareness program should include specific information on abandoned wells, their role as pathways for contamination, and what to do if you have one.

GOAL - A Natural Flow Regime

- ◆ *that supports healthy aquatic resources;*
- ◆ *that reduces risk to human life and property; and,*
- ◆ *that provides sustainable commercial, residential and recreational use opportunities.*

Continue monitoring of flow gauge stations and undertake research to verify baseflow findings in losing areas/reaches. Develop a risk management strategy for current and future flooding risks, conduct floodplain mapping in priority areas and update official plans as necessary. Maintain and repair culverts and road crossings to ensure that existing infrastructure and the design of new water crossings does not impede water flow or fish passage. Education and awareness programs should be developed that address best management practices related to residential and agricultural runoff and erosion prevention.

GOAL - High Quality Surface Water

- ◆ *that supports healthy aquatic resources;*
- ◆ *that provides sustainable commercial, residential and recreational use opportunities; and,*
- ◆ *that contributes to the health of Lake Scugog.*

Continue analysis of water quality at the existing locations, with the addition of winter sampling, to provide an improved level of data on water quality. Strategies dealing with care and maintenance of septic systems, and best management practices for urbanized areas and farmland are needed to reduce inputs of phosphorous and nitrates. Upgrade the Nonquon River Water Pollution Control Plant (note - Environmental Assessment already underway) to minimize nutrient loadings into the Nonquon River.

Approvals of future development in the hamlets of Nonquon River watershed should take into consideration the need for and appropriateness of stormwater management. There should be continued monitoring of chloride and metal concentrations in the watershed, and if there are increases from present levels, appropriate remedial action should be taken. Strategies dealing with care and maintenance of septic systems, and best management practices for agriculture are needed to reduce inputs of phosphorous and nitrates.

GOAL - Healthy Aquatic Resources

- ◆ *that support productive aquatic habitats, species and communities; and,*
- ◆ *that provide sustainable commercial and recreational opportunities.*

Implement the strategies of the Nonquon River Fisheries Management Plan aimed at maintaining and enhancing the aquatic species and communities of the watershed. Additional data and information should be collected for the watershed, notably on spawning areas for Brook Trout, and general information on amphibians, aquatic plants, invasive species, and species of conservation concern. Continue to monitor habitat conditions for Brook Trout and other sensitive aquatic species, and work with landowners to improve these conditions (e.g., increase in stream

shading). Establish a stewardship program that will encourage and assist landowners and others to remove in-stream barriers and to establish additional riparian cover where needed, notably in the smaller headwaters streams.

GOAL Healthy Terrestrial Landscape

- ◆ *that contributes to a functioning natural heritage system; and,*
- ◆ *that provides sustainable commercial, residential and recreational use opportunities.*

Continue monitoring the levels of forest cover, interior forest habitat, connectivity of natural cover, and wetland cover to assess whether these features and associated functions are being maintained. Undertake an inventory project to establish lists of flora and fauna, including species at risk. Undertake stewardship and education initiatives to work with property owners to improve forest health. Conduct inventories to identify terrestrial invasive species and continue to monitor the health and diversity of the forests and wetlands of the watershed. Support the development and implementation of the Durham Climate Change Plan.

Plan Monitoring - Section 5 describes a means to measure and report on the health of the 6 watershed elements and the implementation and achievement of the goals and objectives for the Nonquon River watershed. The Monitoring Plan contains three components: monitoring environmental health, measuring plan progress and effectiveness, and providing a means to report progress to stakeholders and the public. A list of indicators are provided in **Table 8** to provide measures that will help to assess the health of the 6 watershed elements and the progress of plan implementation.

Conclusion - Completion of the four watershed plans, Nonquon River, East Cross Creek, Blackstock Creek, and the South Lake Scugog Tributaries, will satisfy an important requirement of the Oak Ridges Moraine Conservation Plan. Implementation of the Nonquon River Watershed Management Plan simultaneously with the implementation of the three plans for adjacent watersheds will provide protection and enhancement of the ecological and community health of this part of the Oak Ridges Moraine, as well as of the associated watershed areas downstream from the Moraine. Management actions across the four watersheds will be coordinated to promote efficiency and consistency. For the Nonquon River watershed, coordination with the Nonquon River Fisheries Management Plan will also be an important part of plan implementation.

2.0 Introduction

2.1 Purpose of Watershed Plan

To address the watershed plan requirements of the Oak Ridges Moraine Conservation Plan (ORMCP), Kawartha Conservation and the Regional Municipality of Durham initiated a watershed planning process in 2007. The process involves preparation of watershed plans for four watersheds on the Oak Ridges Moraine, one of which is the Nonquon River watershed.

The primary intent of the Nonquon River Watershed Plan is to implement the objectives of the Oak Ridges Moraine Conservation Plan, namely: to maintain, improve and restore all the elements that contribute to the ecological and hydrological integrity of the Oak Ridges Moraine.

The specific requirement for a watershed plan is based on the importance of the ecosystems of the Oak Ridges Moraine. The Oak Ridges Moraine has a unique concentration of environmental, geological and hydrological features that make its ecosystem vital to south-central Ontario, including: clean and abundant water resources; healthy and diverse plant and animal habitat; an attractive and distinct landscape; prime agricultural areas; and, sand and gravel resources.

A watershed plan allows for a management plan to be prepared based on natural, ecologically relevant boundaries, namely a watershed or drainage area. A watershed plan examines both the land and water of the planning area and because of these boundaries this type of plan can manage effectively, and on an ecosystem basis, the hydrologic features (streams, wetlands, groundwater) and their interconnectedness to the land, land uses, and human activities.

The health of our water supplies, aquatic and terrestrial resources is significantly influenced by the health of our rivers and streams and by our activities. As communities continue to grow so do the pressures placed on the natural and physical environment. Watershed management planning is widely accepted as an appropriate process for managing human activities within the area defined by watershed boundaries.

2.2 Planning Area

The Nonquon River watershed is one of four watersheds partly located on the Oak Ridges Moraine for which Kawartha Conservation is preparing watershed plans. The planning area for this watershed plan includes all lands in the Nonquon River watershed as shown in **Map 1**, a total of 194 km². Although only a portion of the total watershed (14%) is subject to the requirements of the Oak Ridges Moraine Conservation Plan, the Regional Municipality and Kawartha Conservation have agreed that the entire Nonquon River watershed be included in the planning area. By doing so, the plan can be based on an appropriate and acceptable ecological boundary.

The Nonquon River watershed includes the drainage areas of the Nonquon and Layton Rivers. The Nonquon River drains north, and the Layton River drains south and joins the Nonquon River which then flows east to Lake Scugog into the chain of lakes known as the Kawartha Lakes. Since the Nonquon River is the largest watercourse flowing into Lake Scugog, maintaining a healthy watershed is important for maintaining the ecological health of the larger Lake Scugog watershed. Lake Scugog is an


extremely significant resource within the area in terms of its natural values (e.g., important habitat for wildlife), social values (e.g., vibrant history), and economic values (e.g., tourism).

The watershed is located within the jurisdiction of five municipalities. These include the Regional Municipality of Durham (95% of the total land area, which includes Scugog Township, Brock Township, and Uxbridge Township) and the City of Kawartha Lakes (5% of the total land area) (**Map 1**).

The southern portion of the watershed lies within the Oak Ridges Moraine Conservation Plan planning boundary (15% of total watershed area), while the majority of the watershed lies within the Greenbelt Plan planning boundary (80% of total watershed area).



Nonquon River near Seagrave, photo taken by Lou Wise



Map 1 – Nonquon River Watershed Planning Area

2.3 General Description of Watershed

The overall character of the Nonquon River watershed is defined by the dominant land use (agriculture) and dominant physical and natural features (**Map 2**).

The dominant land use within the watershed is agriculture, which comprises approximately 52% of the total land area. No major urban growth and expansion is expected to occur within the next 25 years, and as such the watershed will remain distinctly rural in nature for the foreseeable future.

Intensive agriculture (crops) takes place on 47% of the land base, and non-intensive agriculture (pasture) occurs on 4%. The settlement patterns reflect the agrarian history of the watershed, with scattered rural and farm lots across the area (4.6% of the watershed) and a few villages including Seagrave, Greenbank, Sonya, Epsom, and Utica (1.2% urban across the watershed).

While agriculture dominates the landscape, extensive areas of natural cover still exist within the watershed, comprising approximately 42% of the total land area. As illustrated on **Map 2** these include the Nonquon River Provincial Wildlife Area, which exists within a large wetland complex in the central portion of the watershed and large forested areas that exist within the Oak Ridges Moraine. As is depicted on **Map 2**, these natural areas are concentrated in two areas: on the Oak Ridges Moraine part of the watershed, a considerable amount of forest cover (including plantation forest) can be found; and throughout the watershed, forest and wetland areas are associated with the two main rivers, the Nonquon and the Layton, as well as many of the smaller feeder streams. Forty-two percent of the watershed is in some form of natural cover (forest, plantations, wetlands, meadows), often in those parts of the watershed where historically it was not possible to farm, or where settlement had not taken place.

In the Nonquon River watershed, the land slopes generally from west to east, toward Lake Scugog, and from south to north, off the Oak Ridges Moraine (**Map 3**). The Layton River, which is in the northern reaches of the watershed, flows from north to south, and meets the Nonquon River as it flows north from the Oak Ridges Moraine to Lake Scugog. Most of the central and eastern portions of the watershed, are low lying with shallow slopes. Slopes are significantly higher along the southern, northern and western flanks of the watershed.

A significant element of the landscape, 28 km² or 14% of the overall watershed is the Oak Ridges Moraine, located in the southern portion of the Nonquon River watershed, which is a part of a continuous range of rolling hills extending from the Niagara Escarpment to Trenton. The Oak Ridges Moraine consists mainly of permeable sands and gravels which tend to retain and store precipitation, which is slowly released as cold, flowing surface waters into the southern parts of the Nonquon River watershed. Within this part of the watershed, there tends to be fewer streams because the permeable sand and gravel of the moraine allows water to drain vertically into the ground, rather than along the surface. As water moves into the ground, it will reach less permeable layers, and it is along these layers where springs and headwaters for many of the watersheds flowing off the moraine can be found.

The quality and quantity of water coming from the moraine, combined with that coming from the upper reaches of the Nonquon River are critically important to the overall health and vibrancy of the watershed's natural areas and human inhabitants. The residents of the watershed rely on wells for their domestic water, and municipal water supplies are drawn from wells for the villages of Greenbank, Sonya, and Mariposa Estates subdivision. The agricultural community relies on a combination of wells

and surface water, as do commercial operators (golf courses) who draw water for irrigation purposes. Maintenance of these water sources, and protection of ground and surface water in the rest of the watershed is an important theme throughout this watershed plan.

The soils of the Nonquon River watershed are, for the most part, relatively well drained, categorized as high or medium infiltration rates (Soil Groups A and B, respectively). The exceptions to this general pattern are scattered small pockets of soils with low infiltration rates (Group C), and the soils with very low infiltration rates (Group D) associated with the river valleys and low-lying areas in the central portion of the watershed (**Map 3**). In addition to soil types, measuring the amount of “impervious surfaces” in the watershed (those areas covered by roads, driveways, or buildings) helps in understanding the overall infiltration capacity of the watershed. The Oak Ridges Moraine Conservation Plan establishes 10% as a maximum area to be covered by impervious services for areas within the Oak Ridges Moraine portion of the watershed. The impervious surface cover in the Nonquon River watershed is 2.1% which is considered to be relatively low.

Figure 1 illustrates the hydrological cycle, showing how water moves above, on, and below the Earth's surface. The cycle involves the movement of water through evapotranspiration (ET), precipitation (P), surface runoff (Q), subsurface flow and groundwater pathways (GW_{net}).




Figure 1 - Hydrological Cycle and Water Budget for Nonquon River Watershed

Water is evaporated from the land, vegetation and bodies of water such as lakes and rivers to the atmosphere, using the radiant energy from the sun, and is returned back in the form of rain or snow. When precipitation falls to the ground surface, it can directly enter surface water or infiltrate into the ground to replenish soil moisture. Excess water percolates to groundwater aquifers or moves downward to sites of groundwater discharge. If the rate of precipitation exceeds the rate of infiltration the result is overland flow. Water reaching streams, both by surface runoff and groundwater discharge eventually


moves to a larger body of water (lake, river) where it is again evaporated to perpetuate the hydrological cycle.

According to the water budget conducted for the Nonquon River watershed (Kawartha Conservation 2011 Draft), on the average, Nonquon River watershed receives 913 millimetres of precipitation (P). Of that total amount 582 millimetres (64%) is returned to the atmosphere through evaporation and evapotranspiration (ET), 285 millimetres (31%) leaves the watershed as stream flow (Q) and approximately 24 mm (3%) as groundwater (GW_{net}). The groundwater divide is likely located to the north of the surface water divide, and as such, 3% of groundwater that is recharged in the Oak Ridges Moraine flows south, out of the watershed.


Today's climate in the watershed is influenced by Lake Ontario, but moderated by the presence of the Oak Ridges Moraine, a dominant feature of the topography. As a result, spring usually begins on average about one week later and fall usually begins about one week earlier within the watershed than along the shore of Lake Ontario. While this overall climate influence is not likely to change over time, climate change has the potential to broadly influence the overall picture. An unknown factor in the future condition and character of the watershed is the long term influence of climate change. Climate change is often referred to as a detectable shift in average weather conditions, as attributed to either natural or human factors. Along with increases in temperature regimes, climate change may also bring an increase in the frequency and variability of extreme weather events (e.g., droughts, floods, heat-waves).



Layton River,
south of Brock
Concession 5



Map 2 – Existing Land Cover



Map 3 – Hydrologic Soil Groups

2.4 Guiding Direction and Other Initiatives

The following are the key documents that provide direction and background information for the preparation and implementation of this plan.

Oak Ridges Moraine Conservation Plan – The purpose of the Oak Ridges Moraine Conservation Plan (ORMCP) is to provide land use and resource management direction on how to protect the Moraine’s ecological and hydrological features and functions. The ORMCP requires the preparation of watershed plans along the moraine, provides direction on the content of these plans, and further requires the integration of watershed management planning and municipal land use planning.

24.(1) Every upper-tier municipality and single-tier municipality shall, on or before April 22, 2003, begin preparing a watershed plan, in accordance with subsection (3), for every watershed whose streams originate within the municipality’s area of jurisdiction.

(2) The objectives and requirements of each watershed plan shall be incorporated into the municipality’s official plan.

(3) A watershed plan shall include, as a minimum,

(a) a water budget and conservation plan as set out in section 25;

(b) land and water use and management strategies;

(c) a framework for implementation, which may include more detailed implementation plans for smaller geographic areas, such as subwatershed plans, or for specific subject matter, such as environmental management plans;

(d) an environmental monitoring plan;

(e) provisions requiring the use of environmental management practices and programs, such as programs to prevent pollution, reduce the use of pesticides and manage the use of road salt; and,

(f) criteria for evaluating the protection and water quality and quantity, hydrological features and hydrological functions.

The *Oak Ridges Moraine Conservation Act* and subsequent Conservation Plan (OMMAH 2002) also direct land use within the Nonquon River watershed (**Map 4**). The Act provides land use requirements based on four land designations and provides land use and resource management planning direction to protect the Moraine’s ecological and hydrological features and functions.

Greenbelt Plan – The Greenbelt Plan was established under the *Greenbelt Act*. Similar to the Oak Ridges Moraine Conservation Plan, the *Greenbelt Act* and subsequent Plan provide more restrictive land use conditions within areas including Protected Countryside, Natural Heritage System, and Settlement Areas (**Map 4**). The Greenbelt Plan supports the development of watershed plans, and watershed management approaches in the Protected Countryside should be integrated with watershed planning and management in the Oak Ridges Moraine Area and beyond the Greenbelt. The Greenbelt Planning area encompasses 155.6 km² (80%) of the entire watershed.

Municipal Official Plans – There are five municipalities in the Nonquon River watershed that have official plans. The Regional Municipality of Durham encompasses 94% of the watershed area and includes three lower tier area municipalities (Scugog – 72%, Brock – 18%, and Uxbridge – 4%). The City of Kawartha Lakes encompasses 5.6% of the watershed area and is a single tier municipality. All official plans have some element that speaks to protecting natural environments and water related resources. Official plans will require review and revisions to incorporate the objectives and implement specific actions recommended by this watershed plan.

Nonquon River Watershed Characterization Report – This report presents current information with respect to watershed resources, functions and linkages, key management issues and information gaps (Kawartha Conservation 2011). In characterizing the Nonquon River watershed, Kawartha Conservation has drawn upon all available data, studies and sampling results and combined this information into a report that can be reviewed and updated as required. This “background” information has helped to inform management decisions and recommendations that were developed through the planning process for the Nonquon River Watershed Management Plan.

Nonquon River Fisheries Management Plan - Kawartha Conservation in partnership with Ontario Ministry of Natural Resources, Regional Municipality of Durham, Townships of Scugog and Brock, Fisheries and Oceans Canada and local stakeholders developed a fisheries management plan for the Nonquon River (Kawartha Conservation 2009). The plan specifically addresses fish and aquatic habitat and provides detailed information about the aquatic resources, and related issues and strategies. Goals were developed for five management zones to guide management recommendations for the Nonquon River watershed.

Management Zone	Management Goal
Zone 1 - Headwaters of the Nonquon River	Maintenance and Enhancement
Zone 2 - Greenbank and Surrounding Area	Rehabilitation
Zone 3 - Port Perry and Surrounding Area	Education and Enhancement
Zone 4 - Nonquon River Main Channel	Protection and Enhancement
Zone 5 - Layton River Subwatershed	Maintenance Enhancement and Rehabilitation

The objectives of the Nonquon River Fisheries Management Plan are to:

1. Protect and enhance fish and fish habitat;
2. Promote economic benefits of a healthy fishery;
3. Promote public awareness, appreciation and understanding of fisheries resources and aquatic habitats;
4. Involve stakeholders in fisheries management activities;
5. Develop a greater knowledge of fish populations, fish habitat and aquatic ecosystems;
6. Provide a framework for fisheries management; and,
7. Rehabilitate degraded fish communities and fish habitat.

Nonquon River Subwatershed Study and Nonquon Industrial Tributary Area (NITA) Master


Drainage Plan – The goal of the study was to develop an integrated management strategy that: 1) provides future direction for sustainable development in the Nonquon River Subwatershed, 2) ensures the long-term health of ecosystems through protection and conservation of significant natural heritage features, and, 3) protects human life and reduce property damage from hazards such as flooding and erosion. A major emphasis of this plan was on NITA stormwater management designs (Palmer 2005).

Lake Scugog Environmental Management Plan (LSEMP) - The primary goal of the LSEMP is to ensure the long-term environmental and social sustainability of Lake Scugog and its resources by achieving the following objectives:

1. Protect and improve water quality in the lake and its tributaries.
2. Maintain healthy aquatic and terrestrial ecosystems within the watershed.
3. Improve the aesthetic values of the lake and enhance opportunities for public enjoyment within the lake's natural surroundings.
4. Foster community understanding of the lake and an appreciation of the lake's natural and historic heritage.
5. Promote environmentally sustainable use of the lake.
6. Maintain ongoing monitoring and research.

The Implementation Plan actions are designed to cover all aspects of human activities and are grouped under six strategies: Watershed Planning, Regulation and Enforcement Strategy, Communications and Education Strategy, Stewardship Strategy, Agricultural Land Use Strategy, Urban Land Use Strategy, and Monitoring and Scientific Studies Strategy (Kawartha Conservation 2010). These actions are guided by a steering committee comprised of provincial and federal governmental agencies, municipalities and representatives from local volunteer organizations, with a target of reducing phosphorus input by 25%.

Ontario Drinking Water Source Protection Planning – In 2005, the province of Ontario introduced the *Clean Water Act*. This purpose of this Act is to protect drinking water at the source, which typically includes surface water and groundwater municipal drinking water systems. A key component of this legislation is the requirement for the development of local and science-based Source Water Protection Plans. The Nonquon River Watershed exists within the Kawartha-Haliburton Source Protection Area, which is part of the larger Trent Conservation Coalition Source Protection Region. Various studies and reports developed through this planning process provide background information on watershed resources, especially within the context of protecting water quality in municipal drinking water systems. These data are summarized in the Kawartha Conservation Watershed Characterization Report (Kawartha Conservation 2008) and the Proposed Assessment Report (TCCSPC 2010). Source Water Protection Plans are expected to be finalized in 2012.



Map 4 - Oak Ridges Moraine and Greenbelt Designations

2.5 Watershed Plan Development Process

Planning Steps and Process – The approach in preparing the Nonquon River Watershed Plan is based on guidance provided in the Oak Ridges Moraine Conservation Plan Technical Paper 9 – Watershed Plans (Province of Ontario 2007). This approach is based on proven best management practices and lessons learned from similar watershed management projects in Ontario.

Figure 2 illustrates the four phases of watershed management, and the eight steps involved in watershed planning (per Conservation Ontario 2003). The “trigger” for this plan is the Oak Ridges Moraine Conservation Plan, as explained previously in Chapter 2. In the case of this plan (and the three other watershed plans in preparation), the following planning steps were undertaken:

Steps 1 and 2 - “Scoping” and “Characterizing the System” were completed from 2007 through 2011, and documented in the Nonquon River Watershed Characterization Report.

The Nonquon River Watershed Characterization Report presents current information with respect to watershed resources, functions and linkages, key management issues and information gaps. In characterizing the Nonquon River Watershed, Kawartha Conservation has drawn upon all available data, studies and sampling results and combined this information into a report that can be reviewed and updated as required.

The purpose of this step was to identify, analyze, and evaluate all available and relevant information with respect to watershed resources, functions and linkages, key management issues and information gaps. This “background” information, compiled primarily by specialist staff of Kawartha Conservation, helped to inform management decisions and recommendations that were developed through the planning process.

Steps 3 and 4 - “Set Goals Objectives and Working Targets” and “Develop Management Alternatives” were initiated in December 2010, and were developed on the basis of the material collected in Step 2, through consultation with the general public, and detailed review and input from members of the Technical Review Committee (TRC). The preliminary draft of this material was presented in a draft Watershed Plan, which was subjected to further public and TRC review and comment before being finalized.

Steps 5, 6, and 7 - “Evaluate Management Alternatives” “Select Preferred Management Alternative” and “Finalize Targets” were completed during the summer of 2011.

Step 8, “Develop Implementation and Monitoring Plans” sets out the actions deemed appropriate to meet the plan’s goals and objectives, and to monitor the plan’s effectiveness over time and are found in Chapters 4 and 5 of this plan.

Consultation Process – The consultation process for the preparation of this plan consisted of a mixture of surveys, public meetings, and formal agency committee meetings. Early public consultation occurred in July 2009 through two public consultation sessions (Seagrave/July 14, and Utica/July 16), and a survey related to the development of the Nonquon River Fisheries Management Plan. Summaries of these consultations can be found in **Appendix A, B and C**.

The respondents to the 2009 questionnaire, many of whom were long-term residents, expressed a clear attachment to the river. They used the watershed extensively for recreation: 63% for canoeing; 50% for hiking/walking; 50% for fishing; 42% for general recreation; 21% for nature study; and 13% for hunting. In addition to the value placed on outdoor recreation, half of the respondents felt that cultural heritage was “important”.

Public consultation specifically on the watershed plan took place in two stages. The first stage, in July, 2011 consisted of two open houses, where the public could view, and discuss with Kawartha Conservation staff, the four watershed plans in progress. These took place July 20th in Nestleton, and July 21st in Greenbank. Summaries of these consultations can be found in **Appendix D**.

The second stage took place in the fall of 2011. This consisted of targeted consultation sessions with key stakeholders (e.g., agricultural, environmental, agency, and other), as well as broader public consultation sessions through two additional public information sessions in Nestleton (November 3rd), and Greenbank (November 2nd). Summaries of these consultations can be found in **Appendix E and F**.

In addition, a Technical Review Committee (TRC) has been in place throughout the development of the Nonquon River Watershed Management Plan. Ten agencies (municipal, provincial, and federal) have met on a regular basis to shape the overall content and direction of the plan, and to provide input and reviews of draft material as it was developed.

Furthermore, this plan was presented and subsequently endorsed by Kawartha Conservation's Board of Directors (February 2012) as well as by Durham Region Planning Committee (March 2012).



Nonquon River,
south of
Mast Road




Figure 2 - Key Stages of the Watershed Planning Process

3.0 Management Goals, Objectives and Targets

The following vision statement describes a picture of what the watershed will be in the future and provides a focus for everyone on the purpose of the watershed plan. The vision is an inspirational statement that reflects the core values of everyone involved, aligns people, prioritizes our actions and helps to assess our progress.

Our vision for the Nonquon River watershed is...

"A watershed where its water and associated natural and cultural features are of the highest quality to provide overall ecological integrity and to serve human use."

The overall health of the Nonquon River watershed is dependent on maintaining and restoring the health of the many natural elements that are found within the watershed. The natural elements include groundwater quantity and quality, surface water quantity and quality, aquatic and terrestrial resources. By ensuring the long term health of these six natural elements we are also ensuring that we have healthy communities.

The ecological condition of the watershed has an important influence on the health and well being of the people who live, work, or play in the watershed. Communities and individuals will benefit from clean water, opportunities for outdoor recreation, and a better understanding of the heritage of their community or watershed. The Nonquon River watershed is highly valued for outdoor recreation by those who live in and near the watershed. It also provides, in association with Lake Scugog, a strong tourism draw to the area, adding important benefits to the local economy.

The six key elements that relate to the overall health of the watershed are illustrated in **Figure 3** and in order to plan for the future and implement priority actions to protect and restore resources, a series of goals and objectives have been identified for each of the watershed elements. A goal is a generic statement that further defines a longer term end result and can be used to define the purpose of an objective or management action. An objective is a shorter term specific action of what we need to do to fulfill the goal. Combined, these statements provide direction that will help to focus our management actions in a direction that fulfills the vision.

The natural features and functions of these individual elements are often integrated and the health of one can be dependent on the health of others. For example, it is important to maintain the quality and quantity of ground water so that there is a continual supply of clean water to feed surface waters such as streams and rivers. Abundant and healthy water in our streams and rivers will ensure healthy aquatic resources, such as fish and benthic macroinvertebrates, and healthy terrestrial resources such as forests and wildlife. Healthy and abundant ground and surface water, and healthy aquatic and terrestrial resources will help to ensure that we have healthy communities. By protecting and restoring all of these individual elements the overall health of the entire watershed and the community will be ensured.

Table 2 provides a list of the goals and objectives for each of six watershed elements. The following subsections describe the general status of each element and the information gaps and issues that need to be addressed. Targets for each goal are provided to help measure and monitor the actions to be taken to fulfill the goals and objectives of each element (Chapter 5). When targets are not met, the “review and evaluate” part of the planning process is applied (**Figure 2**), and alternative approaches may be chosen to ensure the vision and goal are attained (refer to the Nonquon River Watershed Characterization Report for detailed description of the watershed elements).



Figure 3 - Six Elements of Watershed Health

Table 2 - Watershed Goals and Objectives

Goals	Objectives
<p>Abundant Groundwater (Quantity)</p> <ul style="list-style-type: none"> ▪ that provides a continuous supply of baseflow to streams; and, ▪ that provides sustainable commercial and residential use opportunities. 	<ul style="list-style-type: none"> ✓ Maintain natural groundwater flow conditions
<p>High Quality Groundwater</p> <ul style="list-style-type: none"> ▪ that provides safe drinking water; and, ▪ that provides clean water to streams to maintain ecological functions. 	<ul style="list-style-type: none"> ✓ Protect groundwater from contamination
<p>Natural Flow Regime (Surface Water Quantity)</p> <ul style="list-style-type: none"> ▪ that supports healthy aquatic resources; ▪ that reduces risk to human life and property; and, ▪ that provides sustainable commercial, residential and recreational use opportunities. 	<ul style="list-style-type: none"> ✓ Maintain surface water flow conditions ✓ Protect people from natural hazards
<p>High Quality Surface Water</p> <ul style="list-style-type: none"> ▪ that supports healthy aquatic resources; ▪ that provides sustainable commercial, residential and recreational use opportunities; and, ▪ that contributes to the health of Lake Scugog. 	<ul style="list-style-type: none"> ✓ Protect surface waters from contamination ✓ Enhance the quality of urban runoff ✓ Enhance the quality of agricultural runoff
<p>Healthy Aquatic Resources</p> <ul style="list-style-type: none"> ▪ that support productive aquatic habitats, species and communities; and, ▪ that provide sustainable commercial and recreational opportunities. 	<ul style="list-style-type: none"> ✓ Maintain native aquatic species and communities ✓ Enhance in-stream riparian habitat conditions
<p>Healthy Terrestrial Landscape</p> <ul style="list-style-type: none"> ▪ that contributes to a functioning natural heritage system; and, ▪ that provides sustainable commercial, residential and recreational use opportunities. 	<ul style="list-style-type: none"> ✓ Enhance and maintain natural cover across the landscape ✓ Maintain native species and communities

3.1 Groundwater Quantity

GOAL: Abundant Groundwater

- ◆ *that provides a continuous supply of baseflow to streams; and,*
- ◆ *that provides sustainable commercial and residential use opportunities.*

The health of our surface water, aquatic resources and of our communities are directly related to an abundant source of groundwater. The information presented in this section is taken from Chapter 6 of the Nonquon River Watershed Characterization Report and the executive summary of a report prepared by GENIVAR (2011) which was completed for Kawartha Conservation to characterize groundwater resources within the Nonquon River watershed, and the other watersheds that require watershed plans.

Groundwater is found in aquifers underground, and ensuring an adequate and sustained quantity of groundwater is especially important in the Nonquon River watershed. To ensure a reliable supply of groundwater, aquifers require regular “recharge” from precipitation which drains through overlying soils and rock. Accordingly, parts of the watershed, including the Oak Ridges Moraine, have been identified as “Significant Recharge Areas” which are areas where the soil layer allows water to infiltrate easily and replenish the aquifer (**Map 5**). These significant recharge areas require long term protection from land uses and activities that would remove natural cover, harden the ground surface (roads, buildings, and other paved surfaces such as parking lots), and reduce the potential for water to filter through to the groundwater below.

Groundwater is the dominant source of municipal and private water supply. The majority of residents within the watershed obtain their water from private, individual groundwater wells. There are approximately 858 wells within the watershed that extract an estimated total amount of 858,000 litres per day. In addition to its importance for residential, business and agricultural use, maintaining good quantities of groundwater flow (or groundwater discharge, via springs and seepage) provides an important ecological function by replenishing streams and rivers with high quality, cold water.

There are 6 active Permits to Take Water (issued by the Ministry of the Environment) in the watershed. Four of these are allocated for groundwater extraction, (3 for municipal systems (**Figure 3**) and 1 for golf course irrigation) and 2 of these are allocated for surface water extraction (1 for golf course irrigation and 1 for wildlife conservation).

Figure 3 – Municipal Groundwater Systems

Municipal Residential Groundwater System	Operating Authority	Safe Drinking Water Act Classification	Served Population
Greenbank	Region of Durham	Large municipal residential	560
Sonya	City of Kawartha Lakes	Small municipal residential	127
Mariposa Estates	City of Kawartha Lakes	Small municipal residential	122

The majority of Permits to Take Water in this watershed use groundwater (wells) as their source and the majority of water users take significantly less than the maximum amount they are permitted (about 10-

30% of what they are allowed to take). As such, the total takings are not considered a concern to the overall water budget of the watershed.

Other non-potable drinking water sources include those uses of water that are not intended for drinking. Many uses fall into this category including agriculture, commercial, industrial and construction. While most of these users covered by the Ministry of the Environment’s Permit to Take Water, agricultural activities are not covered and the extent of water extraction is unknown unless water is brought into storage prior to use.

The total estimated water taking for the watershed is 1,312,000 litres per day. This estimate considers the Permitted Water Taking rate for municipal residential systems in the City of Kawartha Lakes and Permits issued for non-municipal use plus the average water taking by the Regional Municipality of Durham and the private well taking. The total permitted groundwater taking is less than 2% of the estimated recharge to the groundwater system and less than 1.5% of the total input or output from the groundwater flow system. The groundwater is withdrawn for municipal water supply and irrigation purposes, that is considered to be a non-consumptive use and will ultimately be returned to the surface/groundwater system. According to the water budget conducted for the Nonquon River watershed, there is a deficit in water during the months of March, June, July and August, and a surplus of water that accumulates in the watershed during September through February (Figure 4). The components of the water budget include: evapotranspiration (ET), precipitation (P), surface runoff (Q), subsurface flow and groundwater pathways (GW_{net}), and change in storage (ΔS).




Figure 4 - Monthly Water Budget Components

OBJECTIVE: Maintain natural groundwater flow conditions

Targets:


- i. *Protection of significant/sensitive groundwater recharge areas.*
- ii. *Maintenance of groundwater discharge into surface waters.*
- iii. *Maintenance of groundwater levels.*

Issues:


- ◆ Significant recharge areas require long term protection from land uses and activities that would remove natural cover, harden the ground surface (roads, buildings, and other paved surfaces such as parking lots), and reduce the potential for water to filter through to the groundwater below.
- ◆ Information is limited or not complete in two key areas: the number and location of private wells; and the amount of water drawn that does not require reporting, namely for agricultural use and/or for withdrawals of less than 50,000 litres/day. It is difficult to precisely quantify the amount of water that is being withdrawn from groundwater and surface water sources other than those requiring reporting.
- ◆ A significant portion of the baseflow that discharges into the upper Layton River is lost (between Brock Concession 5 and Regional Road 13), and the cause has not been determined.

Implementation Approach:

To effectively address this objective, it will be important to improve the existing information base related to groundwater, including better information on existing water usage (private wells, Permits to Take Water, and water taking without permits). Official Plan policies should be updated to protect significant recharge areas from new development, and there should be continued support for the work of The Regional Municipality of Durham and its general education and awareness program for property owners throughout the watershed (agricultural, commercial, residential and new home owners). Research should be undertaken to verify baseflow findings by in losing areas/reaches and contribute to ongoing groundwater characterization and modelling initiatives undertaken by Conservation Authorities Moraine Coalition and Durham Region.



Map 5 - Significant Groundwater Recharge Areas



Map 6 - Groundwater Wells

3.2 Groundwater Quality

GOAL: High Quality Groundwater

- ◆ *that provides safe drinking water; and,*
- ◆ *that provides clean water to streams to maintain ecological functions.*

High quality groundwater is necessary to ensure safe drinking water and to provide clean water to aquatic and terrestrial resources for the maintenance of ecological functions. Generally speaking, groundwater quality throughout the Nonquon River watershed is very good. Testing results from municipal wells (Greenbank and Sonya water supply systems) and Provincial Groundwater Monitoring Well #W386 (south of Scugog Line 4 near Mast Road) show good quality water in the watershed's aquifers where these wells are located. The information presented in this section is taken from Chapter 7 of the Nonquon River Watershed Characterization Report.

Groundwater quality in the watershed is considered good. In many cases, groundwater quality is getting better as the depth of wells increases. Shallow wells tend to draw water from shallow unconfined aquifers, which can exhibit poorer water quality. There are indications of high nitrate levels in shallow groundwaters, which are likely caused by agricultural activities in the watershed. Characterizing groundwater quality is a complex and difficult task because of a number of aquifers are present within the watershed, and there is a wide variety of different geologic features.

All municipal and private drinking water systems in the Nonquon River watershed rely on groundwater wells and the ongoing high quality of this water is a very important public health matter. The Ontario Drinking Water Source Protection program is improving the overall information base for municipal water sources in the watershed, and a set of local policies to protect these water sources is being developed as a part of the Kawartha-Haliburton Source Water Protection Planning process (to be completed 2012). This comprehensive planning work will assure a high level of vigilance and protection for the municipal water systems in the watershed.

To keep groundwater of high quality requires vigilance and good long term data. Potential contaminant sources (such as poor manure or chemical storage, leaching from landfill sites) must be kept to a minimum, and the pathways for contaminants to enter groundwater (such as abandoned wells) must be known and dealt with.

OBJECTIVE: Protect groundwater from contamination

Targets:

- i. *Elimination of abandoned and poorly maintained wells.*
- ii. *Protection of significant/sensitive groundwater recharge areas and highly vulnerable aquifers.*
- iii. *Groundwater chemistry that meets Provincial Drinking Water Quality Standards.*
- iv. *Reduction in nitrogen concentrations in shallow aquifers.*

Issues:

- ◆ While there are no problems with the overall water quality from the municipal and provincial wells of the watershed, there is only limited information on which to draw that conclusion. Only four locations across the watershed are regularly tested – the three municipal wells and one provincial Groundwater Monitoring Well #W386 (south of Scugog Line 4 near Mast Road).
- ◆ Information on potential sources of contamination to the watershed’s groundwater is also very limited. The location and number of abandoned or degraded wells (pathways for contamination) and faulty septic systems (sources of contaminants) are not known, nor is it known whether the two former landfill sites might now or in future leach contaminants into the watershed’s groundwater.
- ◆ There is evidence of elevated nitrate concentrations in shallow aquifers discharging into local streams.
- ◆ Concerns have been raised with the health of Oak Ridges Moraine resources stemming from a number of commercial fill operations, in relation to contamination and the need to protect surface and groundwater supplies. Currently, they are being dealt with on a case-by-case basis, led locally by municipalities in support of the Ontario Ministry of Environment. Concerns have been raised about the lack of a specific regulatory framework. While there are no specific issues in the watershed at this time, with the development being proposed in the Greater Toronto Area and the shortage of fill placement sites, this may be a watershed-based issues in the future.

Implementation Approach:

Continue to monitor water quality in groundwater monitoring wells to build a more reliable database over time. There should be a general education and awareness program for property owners throughout the watershed (agricultural, commercial, residential and new home owners) about well and septic system care and maintenance. The education and awareness program should include specific information on abandoned wells, their role as pathways for contamination, and what to do if you have one.

3.3 Surface Water Quantity

GOAL: A Natural Flow Regime

- ◆ *that supports healthy aquatic resources;*
- ◆ *that reduces risk to human life and property; and,*
- ◆ *that provides sustainable commercial, residential and recreational use opportunities.*

Maintaining the natural flow regime in our streams and rivers will help to support healthy aquatic resources, reduce risk to human life and property and provide sustainable commercial, residential and recreational use opportunities. Overall, the Nonquon River watershed exhibits a relatively undisturbed, natural water flow regime, with significant areas of groundwater discharge, and only localized minor flooding. Current levels of human water use are considered to be negligible in the overall water budget calculation. The information presented in this section is taken from Chapter 6 of the Nonquon River Watershed Characterization Report.

The Nonquon River is the largest tributary flowing into Lake Scugog and represents approximately 35% of the total lake watershed area. The river originates from many small streams and wetlands on the Oak Ridges Moraine, and flows north toward the lake. Some of these streams and wetlands have substantial discharge and are extremely important for maintaining base flow. Vast wetlands and forested areas (up to 36% of the watershed), mostly located at middle and lower portion of the watershed, provide significant benefits to the surface water, moderating streamflow, providing high and low flow mitigation and assisting in groundwater recharge.

The watershed contains significant areas where groundwater discharges to the watercourses. Of particular importance in providing groundwater inputs into the system is the headwaters of the Layton River and slopes of the Oak Ridges Moraine. The groundwater discharge supports baseflow and is a main component of the streamflow during the dry periods.

The Nonquon River watershed exhibits well-defined seasonal flow patterns. High flows typically occur in the spring, associated with snowmelt that is sometimes accompanied by rain, and throughout the year following high precipitation events. Low flows are typically observed in the summer and winter months. Even during periods of drought, flow in the Nonquon River has continued due to sustained groundwater inflow.

Water levels and flows are important determinants of the ecological viability and sustainable human use of the watershed. Without a consistent and reliable quantity of water flowing through the streams and wetlands of the watershed, all aquatic life and most terrestrial life would suffer. Regular monitoring is done through the use of three monitoring gauges that continuously measure flows (**Map 7**).

Although no significant flood damage has been recorded, there are thirteen areas within the Nonquon River watershed where road overtopping and washouts do occur and create dangerous situations for motorists (**Map 7**). In recent years, winter thaws that occur in December-February, accompanied by abundant rain, are resulting in high water levels that are comparable to those of the spring freshet on a number of occasions (e.g., December 2007).

Climate change as it is forecasted has the potential to impact the flow regime of the Nonquon River and its tributaries, by reducing the duration and intensity of spring runoff and increasing potential for dry

conditions and extreme high flow events during the summer. Careful long term monitoring is necessary to determine and apply appropriate mitigation as needed.

OBJECTIVE: Maintain surface water flow conditions

Target:

- i. *Maintenance and enhancement of flow regime in watercourses.*

Issues:

- ◆ Additional base flow studies are required to verify existing data and findings, in particular for the Layton River.
- ◆ Long-term weather data sets are required to enhance ability to forecast trends.

Implementation Approach:

Continued monitoring of gauge stations and undertake research to verify baseflow findings in losing areas/reaches.

OBJECTIVE: Protect people from natural hazards

Targets:


- i. *Reduction in flooding risks.*
- ii. *Reduction in erosion risks.*

Issues:

- ◆ Floodplain mapping should be prepared in priority areas. Thirteen flood prone sites have been observed within the Nonquon River Watershed (**Map 7**). Most of the flooding can be attributed to insufficient culvert capacity, or plugged culverts. Natural flow patterns may also be affected by road ditching, online ponds and impoundments.
- ◆ Some aspects of land use change, such as increasing of impervious surfaces, urban development and agricultural practices may influence the quantity of both surface and groundwater resources.

Implementation Approach:

Develop a risk management strategy for current and future flooding risks, conduct floodplain mapping in priority areas and update official plans as necessary. Maintain and repair culverts and road crossings to ensure that existing infrastructure and the design of new water crossings does not impede water flow or fish passage. Education and awareness programs should be developed that address best management practices related to residential and agricultural runoff and erosion prevention.



Map 7 - Surface Water Flow Monitoring Sites and Flood Prone Areas

3.4 Surface Water Quality

GOAL: High Quality Surface Water

- ◆ *that supports healthy aquatic resources;*
- ◆ *that provides sustainable commercial, residential and recreational use opportunities; and,*
- ◆ *that contributes to the health of Lake Scugog.*

High quality surface water in the watershed supports healthy aquatic resources, provides sustainable commercial, residential and recreational use opportunities and, contributes to the health of Lake Scugog. Good water quality in the Nonquon River and its tributaries is a key element in achieving the objectives of the watershed management plan, and clearly benefits human use and ecological function. The information presented in this section is taken from Chapter 7 of the Nonquon River Watershed Characterization Report.

Surface water quality monitoring results indicate that the Nonquon River and many of its tributaries have elevated total phosphorus levels caused by human activities in the watershed. It can be considered as a major water quality threat across the entire watershed. Elevated phosphorous concentrations are responsible for the highly eutrophic state of the Nonquon River that, in turn, creates adverse living conditions for biota. Further, high amounts of phosphorus and nitrogen found in the river system have been identified as one of the main causes of eutrophication in Lake Scugog.

Currently, the Nonquon River is the largest single contributor of phosphorus and nitrogen into Lake Scugog. Every year this river carries into the lake from 2.2 to 3 tonnes of phosphorus and from 105 to 140 tonnes of nitrogen including the load from the Nonquon River Water Pollution Control Plant, which is responsible for approximately 2% of the phosphorus load and 3 to 4% of the nitrogen load into Lake Scugog. The Nonquon River Water Pollution Control Plan (NRWPCP) is almost at capacity, and is a source of nutrient contamination, particularly total ammonia, into the Nonquon River. The Regional Municipality of Durham is currently pursuing options to upgrade this facility through a Class Environmental Assessment process. This process will examine alternatives and devise options (including nutrient reduction requirements) that should address water quality concerns. The amounts of nutrient inputs from this source are significantly less than those from urban stormwater runoff and agricultural operations. The Lake Scugog Environmental Management Plan recommends that the phosphorus load from the NRWPCP does not exceed 150 kg per year to prevent further eutrophication of the Nonquon River. Ultimately the Class Environmental Assessment process, when completed, will establish performance requirements for this facility.

Overall, the water quality in the Nonquon River and its tributaries routinely exceeds the guidelines established by the province (Provincial Water Quality Objectives) or the federal government (Canadian Water Quality Guidelines). There are locations with elevated levels of nutrients (phosphorous and nitrates) and metals (aluminum and iron). As well, a long-term trend toward increasing chloride concentrations in the Nonquon River was observed.

The Layton River phosphorus levels show a noticeable increasing trend in recent years, while in the Nonquon River phosphorus concentrations were decreasing. Results of sampling in recent years have shown that most sites within the Nonquon watershed, with the exception of sites NR1 and NR6A, have average total phosphorous concentrations over the Provincial Water Quality Objectives of 0.030 mg/L (**Map 8**). The total phosphorus levels along the Nonquon River decline from the upper reaches of the

river towards its mouth, despite additional influx of phosphorus from the Nonquon Water Pollution Control Plant and from the Layton River; this phenomenon is an indicator of the natural cleansing processes and phosphorus assimilation that occurs in the extensive wetlands in the central, low lying portion of the watershed.

High nitrate levels are often detected in small streams or in upper sections of the main channel close to groundwater discharge points. It is possible to conclude that the main source of inorganic nitrogen in the Nonquon River tributaries is groundwater discharge.

The increased level of aluminum is a result of naturally-occurring materials being released into the water when soils have eroded into the river (site NR6, at the lower reach of the Layton River). Elevated iron was found across the watershed, and is attributed to chemical interactions with stream sediments, which cause the release of iron from the sediment into the water. There are no industrial sources of metals in the watershed. And, although below the Canadian Water Quality Guideline's limit, chloride concentrations are slowly increasing at the watershed outlet and are considered to result from road salts washing into the streams and rivers. As well, very low levels of dissolved oxygen have been observed in the lower reaches of the Nonquon River, particularly downstream from the juncture of Hwy 7/12.

The causes of lowered water quality due to nutrients can be attributed to human sources: “point sources”, notably the sewage treatment facilities at Port Perry and to “non-point sources” such as failing or non-existent septic systems, and runoff from urbanized areas and farmland across the watershed. Non-point sources are considered the predominant contributor to elevated nutrient levels in the watershed.

To reliably assess water quality, sampling and analysis needs to take place over a long time period, and over a representative area of the watershed. The Nonquon River watershed has three long-term monitoring sites sampled since 2004, and nine new sites that were established and sampled in 2006 and 2008-2010. The monitoring stations are dispersed across the watershed at twelve key locations covering all major tributaries and portions of the watershed (**Map 8**).

OBJECTIVE: Protect surface waters from contamination

Targets:

- i. *Surface waters that meet Federal and Provincial water quality guidelines and objectives.*
- ii. *Nonquon River Water Pollution Control Plant effluent quality that meets Certificate of Approval criteria.*
- iii. *The risk of contamination from point-sources and hazardous spills is minimized.*

Issues:

- ◆ Nonquon River is the largest single contributor of phosphorus and nitrogen into Lake Scugog and the Lake Scugog Environmental Management Plan recommends that the phosphorus load from the Nonquon River Water Pollution Control Plant does not exceed 150 kg per year to prevent further eutrophication.

- ◆ Water quality in the Nonquon River and its tributaries routinely exceeds the guidelines established by the province (Provincial Water Quality Objectives) or the federal government (Canadian Water Quality Guidelines). There are locations with elevated levels of nutrients (phosphorous and nitrates) and metals (aluminum and iron). As well, a long-term trend toward increasing chloride concentrations in the Nonquon River was observed.
- ◆ Causes of lowered water quality due to nutrients can be attributed to human sources: “point sources”, notably the sewage treatment facilities at Port Perry and to “non-point sources” such as failing or non-existent septic systems, and runoff from urbanized areas and farmland across the watershed. Non-point sources are considered the predominant contributor to elevated nutrient levels in the watershed.
- ◆ Sampling and analysis needs to take place over a long time period, and over a representative area of the watershed. In addition, there is minimal information on water quality during winter months.

Implementation Approach:

Continued analysis of water quality at the existing locations, with the addition of winter sampling will, over time, provide an improved level of data on water quality. Strategies dealing with care and maintenance of septic systems, and best management practices for urbanized areas and farmland are needed to reduce inputs of phosphorous and nitrates. Upgrade the Nonquon River Water Pollution Control Plant (note - Environmental assessment already underway) to minimize nutrient loadings into the Nonquon River.

OBJECTIVE: Enhance the quality of urban runoff

Targets:

- i. *Phosphorus concentrations in urban stormwater runoff are reduced.*
- ii. *Chloride and metal concentrations are kept in current levels or reduced.*

Issues:

- ◆ Runoff from urban areas, hamlets and villages can bring with it elevated phosphorous in streams.

Implementation Approach:

Approvals of future development in the hamlets of Nonquon River watershed should take into consideration the need for and appropriateness of stormwater management. There should be continued monitoring of chloride and metal concentrations in the watershed, and if there are increases from present levels, appropriate remedial action should be taken.

OBJECTIVE: Enhance the quality of agricultural runoff

Targets:

- i. *Phosphorus concentrations in agricultural runoff are reduced.*
- ii. *Nitrogen concentrations are reduced as a result of watershed-wide implementation of Best Management Practices in agriculture.*

Issues:


- ◆ Water quality in a considerable portion of Nonquon River (lower portion of the watershed) has elevated total phosphorous levels caused by human activities in the watershed.
- ◆ Elevated nitrate concentrations are a notable concern in the upper portion of the watershed, especially in areas of groundwater discharge.

Implementation Approach:

Strategies dealing with care and maintenance of septic systems, and best management practices for agriculture are needed to reduce inputs of phosphorous and nitrates



Nonquon River,
north of Nonquon
Industrial
Tributary Area



Map 8 - Water Quality Monitoring Sites

3.5 Aquatic Resources

GOAL: Healthy Aquatic Resources

- ◆ *that support productive aquatic habitats, species and communities; and,*
- ◆ *that provide sustainable commercial and recreational opportunities.*

Healthy aquatic resources are dependent on the abundance and quality of ground and surface water and healthy terrestrial resources. The information presented in this section is taken from Chapter 8 of the Nonquon River Watershed Characterization Report.

The Nonquon River watershed supports diverse fish communities that are dominated by native species. A total of 34 fish species have been found in the watershed, including all of the historically-documented species (**Table 2**).

No species of conservation concern (i.e., Species at Risk) or aquatic invasive species have been documented. Bluegill and Black Crappie, although not native to the watershed are widespread throughout the Kawartha Lakes and are now considered to be naturalized.

Brook Trout (which require a coldwater habitat) were found at only 6 sites, restricted to the southern portion of the watershed south of Scugog Line 6.

Table 2 – List of Fish Species Caught (2003-2008)

Rock Bass	Golden Shiner
Brown Bullhead	Blackchin Shiner
Central Stoneroller	Yellow Perch
White Sucker	Logperch
Brook Stickleback	Trout-perch
Iowa Darter	Northern Redbelly Dace
Johnny Darter	Finescale Dace
Banded Killifish	Bluntnose Minnow
Brassy Minnow	Fathead Minnow
Brook Silverside	Black Crappie
Pumpkinseed	Blacknose Dace
Bluegill	Longnose Dace
Common Shiner	Brook Trout
Northern Pearl Dace	Walleye
Smallmouth Bass	Creek Chub
Largemouth Bass	Central Mudminnow
Hornyhead Chub	Muskellunge

Fish communities within the watershed are linked with Lake Scugog, as supported by evidence that suggests Walleye and Muskellunge migrate up the main channel to reproduce. Walleye and Muskellunge are two of the most sought-after game fishes within Lake Scugog. The substrates across the watershed are a mix of sand/silt and gravel, with suitable sites near the Nonquon River mouth to allow for spawning Walleye and heavily vegetated areas for Muskellunge.

The diversity and natural health of fish and other aquatic species are influenced by:

- physical factors: the substrate (makeup of the stream bed), the condition of the shoreline, or riparian areas of the watercourses, and barriers to the passage of fish caused by dams, weirs, perched culverts, and in-stream ponds; and,
- water quality, as discussed in Section 3.4: levels of nutrients, metals, chlorides, dissolved oxygen, and water temperature.

The watercourses have extensive natural vegetation along their length (approximately 79%) and at meet minimum ecological requirements with respect to total riparian area coverage (i.e., 75% of the total watercourse length being naturally vegetated to a width of 30 metres on both sides). However, riparian

areas are lacking along the smaller tributaries which account for over 80% of the total watercourse length within the watershed (**Map 9**).

Riparian (shoreline) areas that are in a natural state provide multiple benefits to aquatic resources, including: stabilizing stream banks, reducing erosion, moderating water temperatures, filtering contaminants, providing cover and spawning habitat for fishes, and supplying nutrient and food sources into the watercourse. In-stream barriers such as dams, weirs, or perched culverts (culverts that are elevated from the stream bed) often alter the natural flow regime, impede the natural movement of fish, and can, in the case of ponds, lead to higher water temperatures. **Map 10** shows the location of the 16 perched culverts and 60 potential in-stream ponds found across the Nonquon River watershed. As well, climate change has the potential to exasperate the effects of stream temperature warming.

Water quality has already been discussed (Section 3.4) and improved water quality would be beneficial to aquatic resources, as would improvement to the temperature regimes across the watershed. Water temperature plays an important role in the overall health of aquatic ecosystems, and will determine what species exist, their rates of productivity, and their molting and movement. **Map 10** shows the locations where temperature is cold enough to support “cold water” fish, such as trout species.

One of the yardsticks used to measure the ecological health of a stream is the type and amount of “benthic macroinvertebrates” present. These are the small, stream-dwelling organisms visible to the naked eye, such as crayfish, worms, spiders, beetles, mussels, snails, and fly larvae. The conditions in the Nonquon River watershed are less than ideal: of 24 sites examined, the majority of sites (42%) were classified as “fair”, no sites were found to be “excellent” or “very good”, only 3 sites (13%) were found to be “good”, and 6 sites (25%) were “poor” or “very poor”. Sites within the western and southern portion of the watershed tended to have a higher quality result. Benthic macroinvertebrate communities tend to be dominated by pollution tolerant organisms. Community composition indicates that there is likely substantial organic pollution occurring throughout the watershed.

A Fisheries Management Plan has been completed for the Nonquon River, which provides detailed information on the aquatic resources of the river as well as a series of management recommendations to improve the overall quality of the river’s aquatic regime.

OBJECTIVE: Maintain native aquatic species and communities

Targets:

- i. *Naturally-reproducing Brook Trout within coldwater-designated watercourses.*
- ii. *Maintenance of native species biodiversity.*

Issues:

- ◆ Data on invasive species, species of conservation concern, and aquatic species such as amphibians and aquatic plants are limited, as is information on the location of specific spawning areas and spawning activity for key species (Brook Trout).
- ◆ Stream temperatures may be limiting coldwater fish habitat conditions.

Implementation Approach:

Implement the strategies of the Nonquon River Fisheries Management Plan aimed at maintaining and enhancing the aquatic species and communities of the watershed. Additional data and

information should be collected for the watershed, notably on spawning areas for brook trout, and general information on amphibians, aquatic plants, invasive species, and species of conservation concern. Continue to monitor habitat conditions for brook trout and other fish species, and work with landowners to improve these conditions (e.g., removal of stream barriers).

<p>OBJECTIVE: Enhance in-stream riparian habitat conditions</p>
--

Target:


- i. *Increased aquatic habitat connectivity.*
- ii. *Maintenance or increase of natural riparian areas along watercourses.*
- iii. *Increase in natural riparian areas along headwater streams.*
- iv. *Decrease in water temperatures within coldwater-designated watercourses.*

Issues:


- ◆ The fragmentation of aquatic habitat, caused by in-stream barriers (16 perched culverts and 60 potential in-stream ponds), has the potential for negative impact on the existing population of fishes.
- ◆ The quality of benthic macroinvertebrate communities suggests several parts of the watershed suffer from elevated organic pollution.
- ◆ Although overall, the riparian areas of the watershed contain good amounts of natural cover, natural riparian areas are lacking along the smaller tributaries which account for over 80% of the total watercourse length within the watershed (**Map 9**).
- ◆ Climate change has the potential to exasperate the effects of stream temperature warming.

Implementation Approach:

Establish a stewardship program that will encourage and assist landowners and others to remove in-stream barriers and to establish additional riparian cover where needed, notably in the smaller headwaters streams where more riparian cover is needed.



Map 9 - Existing Land Use in Riparian Buffer



Map 10 - Thermal Regime, Instream Ponds and Barriers

3.6 Terrestrial Resources

GOAL: Healthy Terrestrial Landscape

- ◆ *that contributes to a functioning natural heritage system; and,*
- ◆ *that provides sustainable commercial, residential and recreational use opportunities.*

A healthy terrestrial landscape contributes to a functioning natural heritage system and provides ecological and sustainable commercial, residential and recreational use opportunities. The Nonquon River watershed lies within the Great-Lakes St. Lawrence Forest Region, a part of Ontario that is well-settled, dominated by cleared agricultural land, and has few extensive forest tracts. A long history of agriculture and forestry-related activities have resulted in fragmentation of natural cover across the landscape. This results in a loss of habitat linkages, movement corridors, and quality habitat patches. The information presented in this section is taken from Chapter 9 of the Nonquon River Watershed Characterization Report.

The Nonquon River watershed contains extensive areas of natural cover, which accounts for approximately 42% of the total watershed area. Natural cover is comprised of forests (29%), wetlands (19%) and meadows (5%) (**Map 11**).

Forested areas account for approximately 29% of the total watershed area, and are comprised of cultural plantations (4%), cultural woodlands (1%), coniferous forest (4%), deciduous forest (5%), mixed forest (4%), and forested wetlands (11%). Forested areas do not meet the minimum ecological requirements with respect to total watershed coverage (i.e., 30% of total watershed area). Many of these woodlands are considered provincially significant. Forested areas in the watershed show the results of nearly 200 years of human settlement activities. Most are small fragments of the original forest cover, and consist of plantations, immature mixed forest on abandoned agricultural land, and the fairly extensive lowland woodlands along the middle and lower reaches of the Nonquon River. The upland forests, once the most common in the Nonquon River watershed uplands, now exist only as remnant features (**Map 11**).

The amount of interior forest habitat (i.e., at least 100 metres from the forest edge) accounts for approximately 7%, which does not meet the minimum ecological requirements of 10%. The amount of deep interior forest habitat (i.e., at least 200 metres from the forest edge) accounts for approximately 3%, which also does not meet the minimum ecological requirements of 5% (**Map 12**).

Wetland areas account for approximately 19% of the total watershed area, and are comprised of marshes (3%), shallow open waters (1%), and swamp (15%). Wetland areas meet the minimum ecological requirements with respect to total watershed coverage (i.e., 10% of total watershed area). The majority of these wetlands (approximately 98%) are considered provincially significant. The 26km² Nonquon River Wetland, is a wetland of particular significance for this watershed as it encompasses 13.5% of the entire watershed area.

Woodland Threats

- Emerald Ash Borer
- Asian Long Horned Beetle
- Common and glossy buckthorn
- Dog-strangling vine
- Garlic mustard
- Dutch Elm Disease
- Fragmentation

Complete lists of the flora and fauna of the watershed have not been compiled, so the biodiversity of the area can't be determined with any certainty. Of the 22 species at risk identified as conservation targets within this part of the province, 2 have been confirmed within the watershed, including the Green-striped Darner (dragonfly) and the Least Bittern (bird). An additional 7 fauna and 2 flora species are recognized as having high potential to exist within the watershed, but have not been confirmed to exist.

The forests of the watershed, and forests across the province, have been subjected to threats to their health and their very existence from forest pests (insects and diseases) and invasive plants imported from other continents. These threats are current and expected to continue or worsen in the future.

OBJECTIVE: Enhance and maintain natural cover across the landscape

Targets:

- i. *Increase in forest cover to minimum 30%.*
- ii. *Increase in interior forest habitat to 5-10% of total forest cover.*
- iii. *Increase in connectivity of natural cover.*
- iv. *Maintenance or increase in wetland cover.*

Issues:

- ◆ A complete list of flora and fauna (including information on species at risk) has not been compiled for the watershed.
- ◆ Forested areas do not meet the minimum ecological requirements with respect to total watershed coverage (i.e., 30% of total watershed area). As well, the amount of interior and deep interior forest does not meet the minimum ecological requirements of 10% and 5 % respectively.

Implementation Approach:

Continue monitoring the levels of forest cover, interior forest habitat, connectivity of natural cover, and wetland cover to assess whether these levels are being maintained in future. Undertake an inventory project to establish lists of flora and fauna, including species at risk. Undertake stewardship and education initiatives to work with property owners to improve forest health. Support the development of a coordinated Natural Heritage Systems strategy.

OBJECTIVE: Maintain native terrestrial species and communities

Targets:

- i. *Maintenance of native diversity.*
- ii. *Protection of species at risk and their critical habitats.*

Issues:


- ◆ Overall quality of the natural forests has been in decline as a result of exotic insects, diseases, and invasive plants.
- ◆ Invasive species including insects, diseases and plants, are considered one of the key threats to the health of existing natural areas, particularly in woodlands.
- ◆ Climate change has the potential to exasperate these negative effects.

Implementation Approaches:


Conduct inventories to identify terrestrial invasive species and continue to monitor the health and diversity of the forests and wetlands of the watershed. Support the development and implementation of the Durham Climate Change Plan.



Nonquon River
main channel,
west of Hwy 12/7



Map 11 - Existing Natural Cover



Map 12 - Existing Interior Forest

4.0 Implementation Plan

Management actions were initially discussed and developed for each of the watershed elements and then synthesized into the following sections to reduce repetition and make them easier to understand and implement:

- Policy, Practices and Regulations
- Stewardship Activities
- Education, Awareness and Outreach
- Monitoring and Research
- Other Management Activities

The Nonquon River Watershed Plan provides direction and support to many different agencies and organizations in the area. The following tables (3 to 7) provide a comprehensive list of management actions based on priority. Priorities of actions were assessed based on the following criteria.

High: *A management action that is crucial in order to support and achieve the goals and objectives of the Watershed Plan and that addresses a key issue or threat identified by the background studies.*

Medium: *A management action that is important in order to support and achieve the goals and objectives of the Watershed Plan and that addresses an issue or threat identified by the background studies.*

Low: *A management action that will contribute, but is not essential, to support and achieve the goals and objectives of the Watershed Plan.*

The management actions serve to address one or more of the watershed plan's goals, and this is noted as directly addresses (✓) or indirectly addresses (✓) in Tables 3 to 7. As well, the identification of lead and supporting agencies, partners or participants, as discussed and confirmed throughout the development of the Nonquon River Watershed Plan, will help to initiate action and provide an understanding of their roles and responsibilities.

4.1 Policy, Practice and Regulations

The Nonquon River Watershed Management Plan was prepared in response to the requirement of the Oak Ridges Moraine Conservation Plan and builds upon the provincial direction provided through the Greenbelt Plan, Provincial Policy Statement and the *Clean Water Act*. In turn it identifies many management actions that can be addressed through the policies, practices and regulations of municipal, conservation authority, provincial and federal agencies. Policies, Practices and Regulations include Official Plans, Zoning By-laws, Conservation Authority Regulations, and provincial permit approvals such as the Ministry of the Environment's Permit to Take Water. Practices include other management procedures and operating procedures that agencies routinely follow. **Table 3** provides a management actions related to policy, practice and regulations.

Municipalities have a significant role in the implementation of the Nonquon River Watershed Management Plan through the review, amendment and implementation of their policy documents (official plans, zoning and other municipal by-laws) and through the practices that they follow when reviewing development and site alteration applications, and through municipal works and maintenance activities. As well Kawartha Conservation has a responsibility to review and update their policies and regulations, and to work together with provincial and federal agencies and other partners to implement them. While it is anticipated that most policies and regulations are current, **Table 3** provides a checklist of matters that all agencies must review and adopt.

4.2 Stewardship Activities

Stewardship activities include the programs and activities of many agencies, community groups and land owners that build community responsibility, change social behaviour and provide on the ground actions (e.g., tree planting, natural cover restoration) to protect and restore any combination of the six watershed elements. Many of these activities involve volunteers and the combined efforts of agencies and community groups to provide a programs, funding and support. Management actions related to stewardship activities are provided on **Table 4**. Similar to the Lake Scugog Environmental Management Plan, an important first step is for the potential partners to develop an integrated program to ensure the stewardship activities are coordinated and complement each other.

There are many partners already conducting excellent stewardship programs in the Nonquon River Watershed, and the Plan provides a continued commitment to support and to improve these activities. Where gaps in these activities have been identified, actions have been developed to address the issues specifically related to the protection and restoration of watershed elements.

Many of the ecological benefits of the stewardship activities overlap. Consideration should be given to combining the efforts and activities of partners and programs so that a more comprehensive approach could be developed and implemented.

Potential audiences include rural and urban property owners (residential, business, agricultural, and industrial), and potential partners include Kawartha Conservation, municipalities, the Ministry of the Environment and local groups such as the Nonquon Environmental Education Centre, Scugog Heritage Museum, and Community Living Groups in Durham North and City of Kawartha Lakes.

Existing stewardship programs to consider include the following:

Adopt-A-Stream: The Adopt-A-Stream program helps the public care for a local stream or river; encourages new community stewardship projects; facilitates communication between community groups and provides up to date information resources. More information is available at: <http://www.ontariostreams.on.ca/adopt-a-stream.html>

Community Fish and Wildlife Involvement Program: This program supports local community groups in their efforts to improve fish and wildlife habitat. Supported projects include: spawning bed creation, habitat restoration, wildlife census, stream bank fencing and stabilization, fish culture and stocking, schoolyard re-naturalization, building nesting platforms, developing educational trails, or reintroduction of lost species. More information is available at: <http://www.mnr.gov.on.ca/MNR/fishing/cfwip.html>

Community Stream Steward Program: This program is a multi-partner initiative that is focused on creating a sense of community and individual awareness of the need in restoring and preserving coldwater streams. More information is available at: <http://www.ofah.org/Stream/>

Conservation Easements: Under the *Conservation Lands Act* of Ontario, municipalities, conservation authorities and non-governmental not-for-profit natural heritage organizations are empowered to acquire and hold conservation easements that protect natural heritage sites. This is voluntary legal agreement with the property owner, an appraisal of the property is completed and a tax receipt is provided for the value of the donation.

Conservation Lands Tax Incentive Program (CLTIP): Lands identified by the Ministry of Natural Resources as Provincially Significant are eligible for this program. These are a small subset of lands found in a natural state in Ontario including provincially significant wetland; provincially significant area of natural and scientific interest (ANSI); habitat of endangered species; land designated as escarpment natural area in the Niagara Escarpment Plan; and, community conservation land. The conservation land must be at least 1/5 of a hectare (1/2 acre) in size. <http://www.mnr.gov.on.ca/MNR/cltip/>

Environmental Farm Plan: A voluntary program that aids farmers in assessing a variety of environmental concerns on their farm. The process supports individual farm planning and decision-making in the short and long term, and harmonizes productivity, business objectives and the environment. More information is available at:

www.omafra.gov.on.ca/english/environment/efp/efp.hm

Managed Forest Tax Incentive Program (MFTIP): This program is designed to encourage landowner participation in natural resource stewardship on private forestland in Ontario. Eligibility requirements can be found online at:

http://www.mnr.gov.on.ca/MNR/forests/mftip/pdf/MFTIP_Guide_06.pdf

Scugog WATER Fund: The goal of the Scugog WATER Fund is to address the major issues affecting Lake Scugog including: extensive erosion on lakeshores and stream banks, leaking septic systems around the lake, agricultural runoff, manure storage, milk house waste water, cropland erosion, extensive fertilizer and pesticide use and livestock access to watercourses. The program provides funding for landowner to mitigate the above-mentioned issues. More information is available at: <http://www.kawarthaconservation.com>

Trees Ontario: Trees Ontario Foundation has undertaken the task of revitalizing Ontario's tree-planting efforts on private land through the development of partnerships between all organizations with an interest in replenishing Ontario's private land forests. More information is available at: <http://www.treesontario.on.ca>

Yellow Fish Road: A nation-wide environmental education program designed and managed by Trout Unlimited Canada. The goal of the Yellow Fish Road program is to help Canadians understand that stormwater drains are the doorways to our rivers, lakes and streams. Preventing pollutants from entering our stormwater drains is critical to protecting and improving water quality and aquatic habitat. More information is available at: <http://www.yellowfishroad.org/about.html>

Shoreline Naturalization Program: The Shoreline Naturalization Program is a program of Kawartha Conservation and is designed to encourage private and public land stewardship of our natural resources and provide educational opportunities across the watershed. The program has four components: shoreline consultations; private landowner implementation, demonstrations sites; and community workshops, conferences, and speaking engagements. More information is available at: <http://www.kawarthaconservation.com/shoreline/>

Blue Canoe: The Blue Canoe is a project run by Kawartha Conservation, designed to provide practical environmental information specific to homeowners and cottagers living along the shores of Lake Scugog. Blue Canoe crew members visit Lake Scugog residents via canoe and vehicle throughout the summer months. They distribute information on the Lake Scugog Environmental Management Plan, shoreline naturalization, septic systems, grant programs for landowners, and more. More information is available at: <http://www.kawarthaconservation.com/bluecanoe/index.html>

Kawartha Water Watch: Kawartha Water Watch (KWW) is a volunteer-based water quality program operated through Kawartha Conservation. It's designed to monitor and improve water conditions within the Kawartha watershed, which takes in over 2,563 square kilometres and includes Balsam, Cameron, Scugog, Sturgeon, and part of Pigeon Lake as well as many smaller lakes and streams. During the summer volunteers sample and test water monthly at their assigned sites. Through information gathered from KWW and other provincial agencies, KWW identifies good, satisfactory and poor water quality. Reports are produced and copies are distributed to participants and government agencies. More information is available at: http://www.kawarthaconservation.com/projects_services/watershed_monitoring/surface_water/kww.html

Ontario Wetland Care: The Ontario Wetland Care Program is a private land extension program launched by Ducks Unlimited Canada in 2008 and is a long-term effort to increase wetland protection and restoration by landowners in southern Ontario through a network of conservation organizations and agencies.

Well Aware: Well Aware is a program of Green Communities Canada that encourages Ontario's residential well owners to protect their wells and groundwater supplies. Since 2001, they have helped more than 3,500 Ontarians to gain confidence in the management of their wells and to protect their family's drinking water. Well Aware provides a booklet, "A Guide to Caring for your Well" and conducts site assessments with property owners to help identify and address potential risks to well water. More information is available at: <http://www.wellaware.ca/>

Community Fisheries / Wildlife Improvement Program: The Community Fisheries and Wildlife Involvement Program (CFWIP) a land owner contact program of the Ministry of Natural Resources to promote hands-on fish and wildlife management and biodiversity conservation activities. Financial help, expertise, equipment and materials may be provided for volunteer projects that aid in fish and wildlife and improve opportunities for outdoor recreation. More information is available at: http://www.mnr.gov.on.ca/en/Business/LetsFish/2ColumnSubPage/STEL02_166030.html

4.3 Education, Awareness and Outreach

Education, awareness and outreach include initiatives that promote a better understanding of the importance of, and connections between, the watershed elements and encourage the implementation of best management practices. Management actions related to education, awareness and outreach is provided on **Table 5**. An education and communication strategy should be developed involving the use of social marketing approaches, including public education and demonstration projects.

Potential audiences include urban and rural communities, property owners, agricultural community, teachers, students and the general public. Programs and educational opportunities should be provided at both the lot level and watershed wide, and utilize consistent messaging. Potential partners include agencies such as Kawartha Conservation, Regional Municipality of Durham, City of Kawartha Lakes, Durham District School Board, educational operations such as the Nonquon Environmental Education Centre, and community groups such as Scugog WATER fund and Durham Environmental Advisory Committee Environmental Achievement Awards program and farming organizations. Finding and working with new partners and developing new approaches is important and will help to expand programs, develop new ones, and reach new audiences. Education and communication tools could include: websites, thematic brochures, flyers, regular publications in local newspapers and magazines, workshops and meetings.

Similar to Stewardship activities, there are many education programs and initiatives that are already being implemented in the Nonquon River watershed. The Plan provides commitment and support to continue and expand these activities and recommends new actions to address significant watershed issues, where no activities were in place before.

4.4 Monitoring and Research

Monitoring and research is the corner stone to understanding the health of the watershed, the stressors that affect the natural features and functions and the effect of the management activities we undertake to protect and restore watershed elements. While there has been substantial information and data collected on the Nonquon River, the continuation and expansion of these programs is important to establish baselines to understand the future ecological state of the Nonquon River watershed. As well, new monitoring and research programs should be created to address and fill information gaps. Management actions related to monitoring and research are provided on **Table 6** and a Monitoring Plan is provided in Chapter 4.

4.5 Other Management Activities

Other management actions include land acquisitions, implementing the policies of other management plans and improving the construction and maintenance practices related to roads and stormwater infrastructure. Management actions related to other management activities are provided on **Table 7**.

Table 3 <i>Management Actions for Policies, Practices and Regulations</i>	Focus of Action	Priority	Watershed Plan Goals						LEAD/Partners
			Abundant Groundwater	High Quality Groundwater	Natural Flow Regime	High Quality Surface Water	Healthy Aquatic Resources	Healthy Terrestrial Resources	
			High	Medium	Low				
1. Review and update official plan policies to address the following:	Watershed Wide	HIGH	✓	✓	✓	✓	✓	✓	DURHAM REGION, CITY OF KAWARTHA LAKES, AREA MUNICIPALITIES, Kawartha Conservation
a. Identify the location of known (mapped) watershed resources: areas of groundwater features (e.g., high recharge, significant vulnerable aquifer, discharge areas); surface water features (e.g., streams, rivers, ponds, lakes, floodplains); aquatic habitat (e.g., cold and warm water streams, spawning areas); and terrestrial resources (e.g., wetlands, forests, habitat of Species at Risk);	Watershed Wide	HIGH	✓	✓	✓	✓	✓	✓	Same as #1 above
b. Identify approaches to consider new information about watershed resources (e.g., new areas, boundary refinement) as it becomes available;	Watershed Wide	HIGH	✓	✓	✓	✓	✓	✓	Same as #1 above
c. Ensure that development and site alteration is prohibited or restricted within, and adjacent to, watershed resources consistent with the requirements of the Provincial Policy Statement, Greenbelt Plan and Oak Ridges Moraine Conservation Plan;	Watershed Wide	HIGH	✓	✓	✓	✓	✓	✓	Same as #1 above
d. Prohibit new in-stream structures (e.g., barriers/dams), unless they can be demonstrated to maintain existing watercourse flow regime and existing aquatic habitat characteristics and connectivity;	Watershed Wide	HIGH	✓	✓	✓	✓	✓	✓	Same as #1 above
e. Ensure that new development maximizes stormwater infiltration and ensure impervious surfaces do not exceed 10% of the total watershed;	Watershed Wide	HIGH	✓	✓	✓	✓	✓	✓	Same as #1 above

Table 3 <i>Management Actions for Policies, Practices and Regulations</i>	Focus of Action	Priority High Medium Low	Watershed Plan Goals						LEAD/Partners
			Abundant Groundwater	High Quality Groundwater	Natural Flow Regime	High Quality Surface Water	Healthy Aquatic Resources	Healthy Terrestrial Resources	
			✓	✓	✓	✓	✓	✓	
f. Work to achieve a target of 30% forest cover for the entire watershed as a long term objective;	Watershed Wide	HIGH	✓	✓	✓	✓	✓	✓	Same as #1 above
g. Require Stormwater Management Plans for new development to recommend conditions that mitigate sediment and nutrient loadings in watercourses;	Watershed Wide	HIGH	✓	✓	✓	✓	✓	✓	Same as #1, above
h. Establish 'minimum vegetation protection zone' policies and 30 metre development setbacks to protect and restore vegetation along watercourses;	Watershed Wide	HIGH	✓	✓	✓	✓	✓	✓	Same as #1 above
i. Work to achieve a target of 75% natural riparian cover for the entire watershed as a long term objective;	Watershed Wide	HIGH	✓	✓	✓	✓	✓	✓	Same as #1 above
j. Ensure that all new development addresses climate change adaptation and mitigation.	Watershed Wide	HIGH	✓	✓	✓	✓	✓	✓	Same as #1 above
k. Provide support for the implementation process outlined in the Nonquon River Subwatershed Study and Nonquon Industrial Tributary Area Master Drainage Plan to address water quality and water quantity issues;	Port Perry Employment Area	HIGH	✓	✓	✓	✓	✓	✓	Same as #1 above
l. Implement the policies developed through the Kawartha-Haliburton Source Protection Planning process (when completed), that contribute to the achievement of water quality and quantity targets;	Municipal Wellhead Protection Areas	HIGH	✓	✓	✓	✓	✓	✓	Same as #1 above
m. Consider approaches to maintain the linkages between existing natural heritage areas and features until a Natural Heritage System is in place (see #3 below); and,	Watershed Wide	HIGH	✓	✓	✓	✓	✓	✓	Same as #1 above

Table 3 Management Actions for Policies, Practices and Regulations	Focus of Action	Priority High Medium Low	Watershed Plan Goals							LEAD/Partners
			Abundant Groundwater	High Quality Groundwater	Natural Flow Regime	High Quality Surface Water	Healthy Aquatic Resources	Healthy Terrestrial Resources		
			✓	✓	✓	✓	✓	✓		
n. Identify appropriate tools to mitigate the impacts of development and site alteration on watershed resources (e.g., Tree Cutting By-law, Site Alteration By-law, Site Plan Control, Parkland Dedication). In particular, local authorities should review existing control mechanisms to manage the potential environmental impacts of large-scale fill placement.	Watershed Wide	HIGH	✓	✓	✓	✓	✓	✓	✓	Same as #1 above
2. Ensure effective implementation and enforcement of:	Watershed Wide	HIGH	✓	✓	✓	✓	✓	✓	✓	See below.
a. Regional and municipal official plans and zoning by-laws;	Watershed Wide	HIGH	✓	✓	✓	✓	✓	✓	✓	DURHAM REGION, CITY OF KAWARTHA LAKES, AREA MUNICIPALITIES
b. Applicable federal and provincial legislation (e.g. <i>Clean Water Act, Fisheries Act, Species at Risk Act</i>); and,	Watershed Wide	HIGH	✓	✓	✓	✓	✓	✓	✓	ENVIRONMENT CANADA, ONTARIO MINISTRY OF THE ENVIRONMENT, ONTARIO MINISTRY OF NATURAL RESOURCES, FISHERIES AND OCEANS CANADA
c. Section 28 Regulations of the <i>Conservation Authorities Act</i> .	Watershed Wide	HIGH	✓	✓	✓	✓	✓	✓	✓	KAWARTHA CONSERVATION
3. Encourage and contribute to an integrated cross regional Natural Heritage System that builds on the requirements of the Greenbelt Plan and the Oak Ridges Moraine Conservation Plan and maintains the linkages between natural heritage areas and features.	Watershed wide Natural Heritage Areas and Features	HIGH	✓	✓	✓	✓	✓	✓	✓	KAWARTHA CONSERVATION, DURHAM REGION, CONSERVATION AUTHORITIES MORaine COALITION, City of Kawartha Lakes, Area Municipalities

Table 3 <i>Management Actions for Policies, Practices and Regulations</i>	Focus of Action	Priority High Medium Low	Watershed Plan Goals							LEAD/Partners
			Abundant Groundwater	High Quality Groundwater	Natural Flow Regime	High Quality Surface Water	Healthy Aquatic Resources	Healthy Terrestrial Resources		
4. Encourage the province to develop a comprehensive policy management framework to address existing gaps and ensure a consistent, integrated approach in the regulation of large-scale fill.	Watershed Wide	HIGH	✓	✓	✓	✓	✓	✓	✓	DURHAM REGION, CITY OF KAWARTHA LAKES, AREA MUNICIPALITIES, Kawartha Conservation
5. Review and strengthen municipal by-laws to improve regulation of site alteration activities during land development and construction to mitigate impacts from vegetation removal and erosion on wetlands and watercourses.	Wetlands and Watercourses	MEDIUM	✓	✓	✓	✓	✓	✓	✓	AREA MUNICIPALITIES, CITY OF KAWARTHA LAKES, Durham Region
6. Ensure all water takings over 50,000 litres per day are regulated and monitored under a Permit to Take Water to provide accurate data and ensure water taking is within the sustainable limits identified in the water budget.	Watershed Wide	MEDIUM	✓	✓	✓	✓	✓	✓	✓	ONTARIO MINISTRY OF THE ENVIRONMENT Kawartha Conservation, Durham Region
7. Ensure permits and/or approvals related to works in- and-around water contain conditions that mitigate sediment and nutrient loadings in watercourses.	Wetlands and Watercourses	MEDIUM	✓	✓	✓	✓	✓	✓	✓	KAWARTHA CONSERVATION, DURHAM REGION, AREA MUNICIPALITIES, CITY OF KAWARTHA LAKES
8. Develop a program to inspect and provide financial assistance to upgrade septic systems to reduce nutrient loading into watercourses. Consider implementation requirements (e.g., mandatory vs. voluntary) for upgrading septic systems.	Areas near Wetlands and Watercourses	MEDIUM	✓	✓	✓	✓	✓	✓	✓	AREA MUNICIPALITIES, Durham Regional Health Department, Local Stewardship Groups
9. Develop Flood Emergency Response Plans for high priority flood-prone areas.	High Priority Flood-Prone Areas	MEDIUM	-	-	✓	-	-	-	-	KAWARTHA CONSERVATION, Durham Region, Area Municipalities
10. Review and update the Nonquon Provincial Wildlife Area Management Plan to ensure that land use and recreational activities do not negatively impact natural heritage features or ground or surface water resources.	Watershed Wide	LOW	✓	✓	✓	✓	✓	✓	✓	ONTARIO MINISTRY OF NATURAL RESOURCES

Table 4 Management Actions for Stewardship Activities	Action Focus	Priority High Medium Low	Watershed Plan Goals						LEAD / Partners
			Abundant Groundwater	High Quality Groundwater	Natural Flow Regime	High Quality Surface Water	Healthy Aquatic Resources	Healthy Terrestrial Resources	
1. Develop and implement a coordinated program of Stewardship activities in the watershed providing outreach and extension services to effectively engage property owners by addressing the following stewardship activities below.	Watershed Wide	HIGH	✓	✓	✓	✓	✓	✓	KAWARTHA CONSERVATION, Agricultural Organizations (e.g., Ontario Soil and Crop Improvement Association), Environmental organizations, Property Owners
2. Encourage increased nutrient and soil management activities on agricultural operations, through initiatives such as the Environmental Farm Plan to minimize impacts on wetlands and watercourses, including:	Farm Operations, Wetlands and Watercourses	HIGH	✓	✓	✓	✓	✓	✓	Ontario Soil and Crop Improvement Association, Farm and property owners, Ontario Ministry of Agriculture, Food and Rural Affairs, Local stewardship and community groups, Business Operators, Kawartha Conservation
a. Minimize erosion through activities such as conservation tillage, grassy waterways on erodible lands, riparian zone protection, and other soil management techniques; and,	Farm Operations, Wetlands and Watercourses	HIGH	✓	✓	✓	✓	✓	✓	Same as #2
b. Reduce nutrient loading (phosphorus in particular), by managing runoff from livestock yards, improving the effective application of fertilizer through the use of precision techniques restricting livestock access to watercourses, and the use of other applicable best management practices.	Farm Operations, Wetlands and Watercourses	HIGH	✓	✓	✓	✓	✓	✓	Same as #2

Table 4 Management Actions for Stewardship Activities	Action Focus	Priority High Medium Low	Watershed Plan Goals						LEAD / Partners
			Abundant Groundwater	High Quality Groundwater	Natural Flow Regime	High Quality Surface Water	Healthy Aquatic Resources	Healthy Terrestrial Resources	
3. Undertake tree and natural vegetation planting projects to protect and restore riparian areas adjacent wetlands and watercourses to increase the natural cover in riparian areas to 75%.	Wetlands and Watercourses with focus on agricultural activities in headwaters, erosion-prone areas and sensitive habitats	HIGH	✓	✓	✓	✓	✓	✓	KAWARTHA CONSERVATION, TREES ONTARIO DURHAM, All Municipalities, Nonquon Environmental Education Centre, Local Stewardship and Community Groups, Property Owners
4. Undertake tree and natural vegetation planting projects to restore natural cover, forest interior habitat and connectivity of natural habitats across the watershed.	Forests and their connecting linkages	MEDIUM	✓	✓	✓	✓	✓	✓	KAWARTHA CONSERVATION TREES ONTARIO DURHAM, All Municipalities, Nonquon Environmental Education Centre, Local Stewardship and Community Groups, Property Owners
5. Develop a program, with financial incentives as appropriate, to assist in maintaining and repairing septic systems to reduce nutrient loading.	All properties, Wetlands and Watercourses	MEDIUM	✓	✓	✓	✓	✓	✓	Durham Region, Area Municipalities, Local Stewardship Groups Property Owners
6. Mitigate the negative impacts of dams and other in-stream impoundments (e.g., removal of structure, creating fish passage ways, pond shading or altering the draw of water) where such structures are identified as creating negative impact on aquatic cold water resources.	Cold Water Streams	MEDIUM	✓	✓	✓	✓	✓	✓	KAWARTHA CONSERVATION Property Owners, Local Stewardship and Community Organizations, Community Stream Stewards Program
7. Maintain programs/funds that subsidise well decommissioning and upgrades.	Rural Areas	MEDIUM	✓	✓	✓	✓	✓	✓	DURHAM REGION, Well Aware, Kawartha Conservation

Table 4 Management Actions for Stewardship Activities	Action Focus	Priority <i>High Medium Low</i>	Watershed Plan Goals						LEAD / Partners
			Abundant Groundwater	High Quality Groundwater	Natural Flow Regime	High Quality Surface Water	Healthy Aquatic Resources	Healthy Terrestrial Resources	
8. Work with the owners of water access points to install signage or undertake other activities to prevent the spread of invasive aquatic species.	Water Access Points	MEDIUM	✓	✓	✓	✓	✓	✓	ONTARIO FEDERATION OF ANGLERS AND HUNTERS, ONTARIO MINISTRY OF NATURAL RESOURCES, All Municipalities, Property Owners Kawartha Conservation
9. Work with water users to undertake water conservation practices to reduce amount of water use.	Watershed Wide	MEDIUM	✓	✓	✓	✓	✓	✓	DURHAM REGION Kawartha Conservation
10. Improve fisheries habitat by completing restoration projects such as creating in-stream habitat, erosion control projects and naturalizing riparian areas.	All Watercourses	MEDIUM	✓	✓	✓	✓	✓	✓	KAWARTHA CONSERVATION, Durham Stewardship Council, Trees Ontario, Local Stewardship and Community Groups
11. Enhance existing public use areas to create sustainable opportunities for fishing, canoeing, hiking, and nature appreciation (e.g., improve trails, canoe routes, water access areas).	Watershed Wide, Nonquon Provincial Wildlife Area	LOW	-	-	-	-	✓	✓	Kawartha Conservation, Ontario Ministry of Natural Resources, Area Municipalities, Nonquon Environmental Education Centre, Local Stewardship and Community Groups

Table 5 Management Actions for Education, Awareness and Outreach	Action Focus	Priority High Medium Low	Watershed Plan Goals						LEAD / Partners
			Abundant Groundwater	High Quality Groundwater	Natural Flow Regime	High Quality Surface Water	Healthy Aquatic Resources	Healthy Terrestrial Resources	
1. Develop and promote <u>lot level programs</u> to promote best management practices to specific audiences (developers, urban, rural, shoreline, agriculture, industrial and business property owners) to minimize sediment and nutrient loadings in wetlands and watercourses by addressing:	Lot level (i.e., property basis)	HIGH	✓	✓	✓	✓	✓	✓	KAWARTHA CONSERVATION, DURHAM REGION, CITY OF KAWARTHA LAKES, Area Municipalities, Durham Stewardship Council, Durham Sustain ABILITY, Local Stewardship and Community Groups, Ontario Ministry of Agriculture, Food and Rural Affairs
a. application of road salt, and nutrients in parks and along road allowances;	Municipalities	HIGH	✓	✓	✓	✓	✓	✓	Area Municipalities
b. protection and replanting of shoreline vegetation along watercourses;	Property Owners	HIGH	✓	✓	✓	✓	✓	✓	Area Municipalities, Nonquon Environmental Education Centre, Ontario Ministry of Agriculture, Food and Rural Affairs, Durham Stewardship Council, Local Stewardship and Community Groups
c. advanced techniques in agricultural nutrient management practices (conservation tillage, grassy waterways on erodible lands, soil management techniques, managing runoff from livestock yards, improved land application techniques, restricting livestock access to watercourses and installing pasture pumps for alternative watering systems); and,	Farm Operators	HIGH	✓	✓	✓	✓	✓	✓	ONTARIO MINISTRY OF AGRICULTURE, FOOD AND RURAL AFFAIRS, ONTARIO SOIL AND CROP IMPROVEMENT ASSOCIATION, Area Municipalities, Durham Stewardship Council, Local Stewardship and Community Groups
d. emerging and new technology and standards.	Developers	LOW	✓	✓	✓	✓	✓	✓	Area Municipalities, Real Estate and Development Industry

Table 5 Management Actions for Education, Awareness and Outreach		Watershed Plan Goals								LEAD / Partners	
		Action Focus	Priority High Medium Low	Abundant	High Quality	Natural Flow	High Quality	Surface Water	Healthy Aquatic		Healthy Terrestrial
				Groundwater	Groundwater	Regime	Water	Resources	Resources		
2.	Develop general education programs for developers and rural and urban property owners (agricultural, commercial, residential, and new home owners) to increase awareness about:		MEDIUM	✓	✓	✓	✓	✓	✓	✓	KAWARTHA CONSERVATION, DURHAM REGION, CITY OF KAWARTHA LAKES, Local Stewardship and Community Groups
a.	Ground water, surface water, aquatic, and terrestrial resources in the watershed;	Watershed wide, General Public	MEDIUM	✓	✓	✓	✓	✓	✓	✓	Kawartha Conservation, Area Municipalities, Durham Region, City of Kawartha Lakes, Well Aware, Durham Sustain ABILITY
b.	Healthy communities and cultural links to watershed resources;	Watershed wide, General Public	LOW	✓	✓	✓	✓	✓	✓	✓	Area Municipalities, Scogog Heritage Museum, Welcome Wagon, Community Groups, Durham Sustain ABILITY
c.	Low impact sustainable development to protect watershed resources;	New Development	MEDIUM	✓	✓	✓	✓	✓	✓	✓	Area Municipalities, Real Estate and Development Industry
d.	Emerging and new technology and standards (e.g., green energy, Leadership in Energy and Environmental Design (LEEDS)) to protect watershed resources;	New Development	LOW	✓	✓	✓	✓	✓	✓	✓	Area Municipalities, Real Estate and Development Industry
e.	Preventing the spread of invasive species to protect natural species and their habitat;	Watershed Wide	HIGH	✓	✓	✓	✓	✓	✓	✓	Ontario Ministry of Natural Resources, Ontario Federation of Anglers and Hunters, Kawartha Conservation
f.	Identifying and protecting Species at Risk and their critical habitat to conserve biodiversity;	Watershed Wide	HIGH	✓	✓	✓	✓	✓	✓	✓	Ontario Ministry of Natural Resources
g.	Well maintenance and decommissioning to protect ground water resources; and,	Rural Property Owners	MEDIUM	✓	✓	✓	✓	✓	✓	✓	Well Aware, Kawartha Conservation

Table 5 Management Actions for Education, Awareness and Outreach		Watershed Plan Goals										LEAD / Partners	
		Action Focus	Priority High Medium Low	Abundant	High Quality	Groundwater	Natural Flow	Regime	High Quality	Surface Water	Healthy Aquatic		Healthy Terrestrial
				Groundwater	Groundwater	Regime	High Quality	Surface Water	Healthy Aquatic	Healthy Terrestrial			
h. Stormwater management best management practices to minimize sediment and nutrient loadings in wetlands and watercourses.	Existing and New Development, with focus in Urban Areas	MEDIUM	✓	✓	✓	✓	✓	✓	✓	✓	✓	Area Municipalities	
3. Promote the conservation of water resources through education and awareness	Watershed Wide	MEDIUM	✓	✓	✓	✓	✓	✓	✓	✓	-	DURHAM REGION, Durham Sustain ABILITY, Kawartha Conservation	
4. Establish and implement a program of education and incentives to remove in-stream impoundments and improve cold water habitats.	Cold Water Streams	MEDIUM	✓	✓	✓	✓	✓	✓	✓	✓	✓	KAWARTHA CONSERVATION, ONTARIO MINISTRY OF NATURAL RESOURCES, Property Owners	
5. Increase in information available to the public regarding the use and regulation of biosolids on agricultural lands (Note – there appears to be wide-spread community anxiety about this practice; additional information may help to alleviate concerns).	Watershed Wide	MEDIUM	-	-	-	-	-	-	-	-	-	ONTARIO MINISTRY OF ENVIRONMENT, ONTARIO MINISTRY OF AGRICULTURE, FOOD AND RURAL AFFAIRS	
6. Work with the School Board(s) to establish curriculum based programs addressing water awareness and conservation (e.g., Peel Water Story, Durham Children’s Groundwater Festival), and appreciation of natural and cultural heritage.	Schools	LOW	✓	✓	✓	✓	✓	✓	✓	✓	✓	School Groups, Durham Region, Kawartha Conservation, Nonquon Environmental Education Centre	
7. Celebrate and recognize sustainable practices through Recognition Awards for residents, business operators and other groups in order to promote awareness and achieve buy-in from others.	Watershed Wide	LOW	✓	✓	✓	✓	✓	✓	✓	✓	✓	All municipalities, Local stewardship and community groups	

Table 5 Management Actions for Education, Awareness and Outreach	Action Focus	Priority High Medium Low	Watershed Plan Goals						LEAD / Partners
			Abundant Groundwater	High Quality Groundwater	Natural Flow Regime	High Quality Surface Water	Healthy Aquatic Resources	Healthy Terrestrial Resources	
8. Establish a program of public road and property signage that identifies key watershed features (e.g., stream names, watershed boundaries, provincially significant wetlands).	Watershed Wide	LOW	✓	✓	✓	✓	✓	✓	Kawartha Conservation, Durham Region, Area Municipalities
9. Continue to support community initiatives to remove litter from recreational areas, road-sides, public access points and promote awareness around the need to reduce litter.	Watershed Wide	LOW	-	✓	-	✓	✓	✓	Area Municipalities, City of Kawartha Lakes, Durham Region, Kawartha Conservation, Ontario Ministry of Natural Resources, Community groups

Table 6 Management Actions for Monitoring and Research		Priority High Medium Low	Action Focus	Watershed Plan Goals						LEAD / Partners
				Abundant Groundwater	High Quality Groundwater	Natural Flow Regime	High Quality Surface Water	Healthy Aquatic Resources	Healthy Terrestrial Resources	
Monitoring (for more detail refer to Table 8 - Monitoring Indicators to Assess Environmental Health and Progress of Plan Implementation)										
1. Environmental Monitoring										
a. Maintain existing monitoring programs and enhance, as necessary to address information gaps (see Table 8 column – Existing Monitoring Program Details) to detect changes in the indicators of watershed health; and,		HIGH	Watershed Wide	✓	✓	✓	✓	✓	✓	KAWARTHA CONSERVATION, ENVIRONMENT CANADA, ONTARIO MINISTRY OF THE ENVIRONMENT, DURHAM REGION, Ontario Ministry of Natural Resources, Conservation Authorities Moraine Coalition
b. Encourage the development of a monitoring framework to evaluate watershed health consistently for all watersheds across the Oak Ridges Moraine.		MEDIUM	Watershed Wide and watersheds across the Oak Ridges Moraine	✓	✓	✓	✓	✓	✓	KAWARTHA CONSERVATION, DURHAM REGION, Government and non-government organizations active on the Oak Ridges Moraine KAWARTHA CONSERVATION, DURHAM REGION
2. Progress Monitoring – Track the progress of implementation action items (see Table 8 column – Progress), on an ongoing basis.										
3. Reporting - Prepare a Monitoring Report, every five years, to synthesize the results of environmental monitoring (Section 4.1), and progress monitoring (Section 4.2) and make plan recommendations for the following 5 years.										
Research										
4. Verify baseflow findings by completing studies, particularly focusing on losing areas/reaches.		MEDIUM	Watercourses focusing on losing areas/reaches	✓	✓	✓	✓	✓	✓	KAWARTHA CONSERVATION

Table 6 Management Actions for Monitoring and Research		Action Focus	Priority <i>High Medium Low</i>	Watershed Plan Goals						LEAD / Partners
				Abundant Groundwater	High Quality Groundwater	Natural Flow Regime	High Quality Surface Water	Healthy Aquatic Resources	Healthy Terrestrial Resources	
5.	Inventory all in-stream impoundment structures and identify those with greatest potential that if mitigated, would improve water quantity or aquatic life.	Watercourses with focus on cold water streams	MEDIUM	✓	✓	✓	✓	✓	✓	KAWARTHA CONSERVATION, ONTARIO MINISTRY OF NATURAL RESOURCES, DUCKS UNLIMITED, Community Stream Stewards Program
6.	Inventory the location of critical aquatic habitats (e.g., spawning sites for Walleye, Brook Trout and Muskellunge) and the linkages between Lake Scugog and its tributaries through habitat, spawning assessments and creel surveys.	Watercourses with focus on spawning sites	MEDIUM	✓	✓	✓	✓	✓	✓	ONTARIO MINISTRY OF NATURAL RESOURCES, Kawartha Conservation, Local stewardship and community groups, Property owners
7.	Implement a program to assess and upgrade stormwater management infrastructure to minimize impacts to wetlands and watercourses.	Watershed Wide with focus on cold water streams	LOW	✓	✓	✓	✓	✓	✓	DURHAM REGION, KAWARTHA CONSERVATION , AREA MUNICIPALITIES, CITY OF KAWARTHA LAKES
8.	Develop a risk management strategy for current and future flooding risks and conduct floodplain mapping in priority areas (i.e., high risk to life or property) in the watershed.	Floodplain areas	LOW	-	-	✓	-	-	-	KAWARTHA CONSERVATION Durham Region, City of Kawartha Lakes, Area municipalities

**Table 7
Other Management Actions**

	Action Focus	Priority High Medium Low	Watershed Plan Goals						LEAD / Partners
			Abundant Groundwater	High Quality Groundwater	Natural Flow Regime	High Quality Surface Water	Healthy Aquatic Resources	Healthy Terrestrial Resources	
1. Upgrade the Nonquon River Water Pollution Control Plant (note - Environmental assessment already underway) to minimize nutrient loadings into the Nonquon River.	Port Perry	HIGH	✓	✓	✓	✓	✓	✓	DURHAM REGION, Ontario Ministry of the Environment, Kawartha Conservation
2. Rehabilitate erosion prone areas along publically maintained ditches and roads to prevent sedimentation of watercourses.	Municipal water crossings with focus on cold water streams	HIGH	✓	✓	✓	✓	✓	✓	ALL MUNICIPALITIES, Kawartha Conservation
3. Support the development and implementation of the Durham Climate Change Plan.	Watershed Wide	HIGH	✓	✓	✓	✓	✓	✓	DURHAM REGION, Kawartha Conservation, Local stewardship and community groups
4. Maintain and repair culverts and road crossings to ensure that existing infrastructure and the design of new water crossings does not impede fish passage and water flow.	Municipal Water Crossings	MEDIUM	✓	✓	✓	✓	✓	✓	ALL MUNICIPALITIES, Kawartha Conservation
5. Inventory, maintain and repair storm water management infrastructure to improve mitigation of nutrient, sediment loading to watercourses.	Municipal Stormwater Infrastructure	LOW	✓	✓	✓	✓	✓	✓	ALL MUNICIPALITIES, Kawartha Conservation
6. Support the development and implementation of the North Durham and City of Kawartha Lakes Integrated Community Sustainability Plans.	Watershed Wide	HIGH	✓	✓	✓	✓	✓	✓	AREA MUNICIPALITIES, CITY OF KAWARTHA LAKES, Durham Region, Kawartha Conservation
7. Review existing funding programs, with a view of increasing incentive funding available through programs such as the Environmental Farm Plan that focus specifically on nutrient reduction (similar to enhanced funding initiatives to address phosphorus loading in Lake Simcoe Watershed).	Watershed Wide	HIGH	✓	✓	✓	✓	✓	✓	ONTARIO SOIL AND CROP IMPROVEMENT ASSOCIATION, Ontario Ministry of Food, Agriculture and Rural Affairs; Local stewardship groups
8. Develop/update a Land Acquisition Program to enable acquisition of significant open green space, and natural heritage and conservation areas, as opportunities arise.	Watershed Wide	LOW	✓	✓	✓	✓	✓	✓	KAWARTHA CONSERVATION, DURHAM REGION, CITY OF KAWARTHA LAKES, Area Municipalities, Land Trusts, Property owners

5.0 Monitoring Plan

This chapter describes a means to measure and report on the health of the environment and the implementation and achievement of the goals and objectives of this plan.

Monitoring is essential to measure how well the management actions meet the goals and objectives so that, if necessary, we can adapt our approaches to improve our effectiveness and the health of the watershed. This approach is called adaptive management and it is a process of continually improving management actions, goals, objectives and targets. Adaptive management allows watershed managers to change their management actions when they see that environmental conditions are in decline or not improving. If it becomes clear that a target is not being met, then a change in management actions may be warranted, or a change in the target itself should be considered.

The Monitoring Plan contains three components: monitoring environmental health, measuring plan progress and effectiveness, and providing a means to report progress to stakeholders and the public.

5.1 Environmental Health

This component addresses the questions: “are the watershed elements in a healthy condition, and what are the trends in watershed health?”

Table 8 provides an approach to monitor the watershed targets as identified in Chapter 3 - Management Goals, Objectives and Targets. For each target to be monitored a list of environmental and progress indicators have been provided. Monitoring the list of environmental indicators (column 2) will help to provide a measure of the health of the six watershed elements (e.g., groundwater, surface water, aquatic and terrestrial resource).

Most of the environmental monitoring actions involve maintaining existing programs or establishing new ones to measure specific environmental indicators. By taking these measurements over time, managers can assess the health of the environment of the watershed and answer – is it improving, degrading, or maintaining its status? It is only through years of monitoring and assessing results that actual trends can emerge, and environmental health of the watershed can be better understood.

Working together on monitoring the health of the environment, if effectively coordinated and integrated, will benefit all partners involved. Expertise can be pooled among the implementation partners which may reduce the duplication of efforts. Data collection efforts can be standardized, and with efficiency and coordination, there is greater opportunity for buy-in from the community and the organizations/agencies involved.

The responsibility for monitoring is shared between many agencies and programs. **Table 8** provides a list of lead agencies and partners that are responsible for the following existing programs:

Provincial Groundwater Monitoring Network - The Ministry of the Environment and Kawartha Conservation partner to implement this program. The goal of this network is to determine where, how, and why the groundwater resource is changing across the province. Within the Nonquon River watershed there is only 1 provincial well that records water

levels on a daily basis. Also, the standard set of water quality indicators monitored at each station includes chloride, nutrients, suspended solids, trace metals and other general chemistry parameters. Water chemistry is sampled once every year in the fall.

Provincial Water Quality Monitoring Network - The Ministry of the Environment and Kawartha Conservation partner to implement this program and collect water samples and readings of water quality at one site within Nonquon River watershed. The standard set of water quality indicators monitored at each station includes chloride, nutrients, suspended solids, trace metals and other general chemistry parameters. The sampling takes place once per month between April and November each year.

Municipal Well Monitoring - Municipalities that have water supply systems in the Nonquon River watershed test the water quality regularly. The primary test parameters include those that have the potential to impact human health. Samples are taken regularly, with different intensity based on the sensitivity of humans to the parameter.

Kawartha Conservation Environmental Monitoring Program - Kawartha Conservation conducts regular monitoring within the Nonquon River watershed as part of their Watershed Monitoring Program. This program consists of a network of continuous flow monitoring sites, Provincial Water Quality Monitoring sites, groundwater discharge sites, benthic macroinvertebrate sites and water temperature sites.

Permit to Take Water Monitoring Program - As per the *Ontario Water Resources Act*, water users taking more than 50,000 litres per day are required to obtain a Permit to Take Water from the Ontario Ministry of the Environment. Starting in 2008, it became a legislative requirement for all Permit holders to report the total volume of water taken each calendar year. Water-taking permits apply to both surface and groundwater.

Certificate of Approval Monitoring - Any facility that discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval from the Ontario Ministry of the Environment. A condition within a Certificate of Approval often requires the owner of the operation to monitor the effluent of the system to ensure it meets water quality standards set out in each respective Certificate.

5.2 Plan Progress

This monitoring component addresses the questions: “are the management actions being completed and are they effective?”

Table 8 (column 3) provides a list of the management actions that are related to the objectives and targets established for each watershed element. A complete description of management actions is provided in Chapter 4.

Every five years, the Regional Municipality of Durham in collaboration with their partners will undertake a review to measure the implementation progress of the management actions and the success of the plan in order to address and report on 1) what was accomplished? 2) what was effective? and 3) what new management actions need to be taken?

5.3 Reporting

Every five years a Monitoring Report should be prepared to provide a synthesis of environmental monitoring results (Section 4.1), the plan progress (section 4.2) and if it is found that a particular action is not achieving its intended purpose, recommend changes to the targets, indicators, or management actions. The five year review period should can be concurrent with the 5 year official plan review process required by the *Planning Act*, so that both processes may be better informed and linked.

A coordinated approach lead by the Regional Municipality of Durham involving the Oak Ridges Moraine Coalition and Kawartha Conservation would enable working with other Conservation Authorities to develop a system to monitor and understand ecosystem health across the entire Oak Ridges Moraine.

This reporting mechanism also provides a way to communicate results to stakeholders and the general public on a regular five year interval. The report would provide an opportunity to review the status of “Implementation of Management Strategies” and “Environmental Monitoring” programs and projects, and to:

- Assess how well implementation is taking place;
- Synthesize the data collected in environmental monitoring programs and projects, and identify trends that are emerging;
- Examine the results of research initiatives;
- Discuss management action changes or new approaches to improve achievement of targets; and,
- Communicate with partners, stakeholders, and the public at large, on environmental health, plan implementation progress and effectiveness.

Regular reporting will ensure that the watershed plan becomes a dynamic document.

TABLE 8 - Monitoring Indicators to Assess Environmental Health and Progress of Plan Implementation

Watershed Target		Indicator	Monitoring Responsibility <i>LEAD / Partners</i>	Existing Monitoring Program Details
		<i>Environmental</i>	<i>Progress</i>	
GROUNDWATER QUANTITY				
Objective - Maintain natural groundwater flow conditions				
Targets				
✓	Protection of significant/sensitive groundwater recharge areas	<ul style="list-style-type: none"> Groundwater recharge/infiltration amounts Groundwater (water table) levels 	Policies and Practices - 1a, b, c, e, g, j, k, l; 2a, b, c, 5, 6, 7 Stewardship - 1, 9 Education - 1a, c, 2 a, c, g, h; 5, 7	<ul style="list-style-type: none"> Provincial Groundwater Monitoring Network Kawartha Conservation Environmental Monitoring Program Municipal Well Monitoring
✓	Maintenance of groundwater discharge into surface waters	<ul style="list-style-type: none"> Stream baseflow discharge Presence of stream flow and seepage areas 	Policies and Practices – 1a, c, m Monitoring/Research 1a; 4	<ul style="list-style-type: none"> Kawartha Conservation Environmental Monitoring Program
✓	Maintenance of groundwater levels	<ul style="list-style-type: none"> Groundwater (water table) levels Stream baseflow discharge Groundwater-taking amounts 	Policies and Practices – 1e,m; 5 ,8 Stewardship – 9 Education – 2a, 3, 5, 6 Monitoring – 1a,b ; 4 Other – 6	<ul style="list-style-type: none"> Provincial Groundwater Monitoring Network Kawartha Conservation Environmental Monitoring Program Municipal Well Monitoring Permit to Take Water Monitoring Program
GROUNDWATER QUALITY				
Objective - Protect groundwater from contamination				
Targets				
✓	Elimination of abandoned and poorly maintained wells	<ul style="list-style-type: none"> Number of decommissioned wells Number of upgraded wells 	Policies and Practices - 7 Stewardship - 7	<ul style="list-style-type: none"> Currently, no coordinated program is in place
✓	Protection of significant/sensitive	<ul style="list-style-type: none"> Water chemistry in stream baseflow 	Policies and Practices – 1a,b,c; 7 Stewardship – 2, 5, 7	<ul style="list-style-type: none"> Currently, no coordinated program is in place for monitoring water chemistry

Watershed Target		Indicator	Monitoring Responsibility <i>LEAD / Partners</i>	Existing Monitoring Program Details
		<i>Progress</i>		
	<i>Environmental</i>			
groundwater recharge areas and highly vulnerable aquifers	<ul style="list-style-type: none"> Water chemistry in wells 	Education – 1c, d; 2a, g; 5 Monitoring – 1a, b;	ENVIRONMENT <i>Durham Region Health Department</i> <i>Kawartha-Pine-Ridge District Health Unit</i>	in stream baseflow <ul style="list-style-type: none"> Provincial Groundwater Monitoring Network Kawartha Conservation Environmental Monitoring Program Municipal Well Monitoring
✓ Groundwater chemistry that meets Provincial Drinking Water Quality Standards	<ul style="list-style-type: none"> Water chemistry in wells 	Policies and Practices – 1a,b; 7 Stewardship – 2, 5, 7 Education -1c, d; 2a, g Monitoring -1a, b	KAWARTHA CONSERVATION ONTARIO MINISTRY OF ENVIRONMENT <i>Durham Region City of Kawartha Lakes</i>	<ul style="list-style-type: none"> Provincial Groundwater Monitoring Network Kawartha Conservation Environmental Monitoring Program Municipal Well Monitoring
✓ Reduction in nitrogen concentrations in shallow aquifers	<ul style="list-style-type: none"> Nitrogen concentrations in shallow wells Nitrogen concentrations in stream baseflow 	Education - 1c, d; 2a Monitoring – 1 b	KAWARTHA CONSERVATION ONTARIO MINISTRY OF ENVIRONMENT <i>Durham Region Health Department</i> <i>Kawartha-Pine-Ridge District Health Unit</i>	<ul style="list-style-type: none"> Currently, no coordinated program is in place for monitoring water chemistry in stream baseflow Provincial Groundwater Monitoring Network Kawartha Conservation Environmental Monitoring Program Municipal Well Monitoring
SURFACE WATER QUANTITY				
Objective - Maintain surface water flow conditions				
Target				
✓ Maintenance and enhancement of flow regime in watercourses	<ul style="list-style-type: none"> Surface water discharge Surface water levels Ecological flow requirements Surface water-taking amounts 	Policies and Practices – 1a,b, c, d, e, f, g, h, m; 2c; 4; 6 Stewardship – 3; 6; 10 Education – 1b, c, d; 2a, h; 4;6 Monitoring/Research – 1a,b; 3; 6 Other – 2; 3; 4	KAWARTHA CONSERVATION ENVIRONMENT CANADA <i>Ontario Ministry of Natural Resources</i> <i>Fisheries and Oceans Canada</i>	<ul style="list-style-type: none"> Kawartha Conservation Environmental Monitoring Program Permit to Take Water Monitoring Program
Objective - Protect people and property from natural hazards				
Target				
✓ Reduction in flooding	<ul style="list-style-type: none"> Flood-prone areas 	Policies and Practices – 1a, b, c, d, e,	KAWARTHA CONSERVATION	<ul style="list-style-type: none"> Kawartha Conservation Environmental Monitoring

Watershed Target		Indicator	Monitoring Responsibility <i>LEAD / Partners</i>	Existing Monitoring Program Details
	<i>Environmental</i>	<i>Progress</i>		
risks	<ul style="list-style-type: none"> Surface water levels 	f, g, h, ml; 2c; 4; 6; 8 Stewardship – 3, 6 Education – 1b, c, d; 2a, h; 4 Monitoring/Research – 1a,b; 3; 5; 8 Other – 2; 4	Durham Region City of Kawartha Lakes Ontario Ministry of Natural Resources	Program
✓	<ul style="list-style-type: none"> Erosion-prone areas 	Policies and Practices – 1a, b c, d, e, f, g, h, m; 2c; 4; 6 Stewardship – 2a; 3; 6; 10 Education – 1b, c, d; 2a, h; 4;6 Monitoring/Research – 1a, b; 4; 5; 8 Other – 2; 3; 4	KAWARTHA CONSERVATION	<ul style="list-style-type: none"> Currently no monitoring program exists
SURFACE WATER QUALITY				
Objective - Protect surface waters from contamination				
	Target			
✓	Surface waters meets Federal and Provincial water quality guidelines and objectives	<ul style="list-style-type: none"> Surface water chemistry 	Policies and Practices – 1a, b, c, m; 2b; 4; 6; 7 Stewardship – 1; 2a, b; 3; 5; Education – 1a, b, c, d; 2a, c, d, h; 5; 6 Monitoring/Research – 1a, b; 6 Other - 2	KAWARTHA CONSERVATION ONTARIO MINISTRY OF ENVIRONMENT <ul style="list-style-type: none"> Provincial Water Quality Monitoring Network
✓	Nonquon River Water Pollution Control Plant effluent quality meets Certificate of Approval criteria	<ul style="list-style-type: none"> Surface water chemistry of treated effluent 	Policy - 1j Monitoring - 1a, b Other - 1	ONTARIO MINISTRY OF ENVIRONMENT <ul style="list-style-type: none"> Certificate of Approval monitoring
✓	The risk of contamination from point-sources and hazardous spills is minimized	Policies and Practices – 1a, b; 2b	DURHAM REGION CITY OF KAWARTHA LAKES	

Watershed Target		Indicator	Monitoring Responsibility <i>LEAD / Partners</i>	Existing Monitoring Program Details
Environmental		Progress		
Objective - Enhance the quality of urban runoff				
Target				
✓ Phosphorus concentrations in urban stormwater runoff are reduced	• Surface water chemistry	Policies and Practices – 1a, e, g, m; 2a,b; 4 Stewardship – 1; 5 Education – 2a, c, h; 6 Monitoring/ Research – 1 a, b; 6; 7 Other - 5	KAWARTHA CONSERVATION <i>Ontario Ministry of Environment</i>	• Currently no monitoring program exists
✓ Chloride and metal concentrations are kept in current levels or decreased	• Surface water chemistry	Policies and Practices – 1a, c, e, g, m; 4; 6 Stewardship – 1a; 2a, h Monitoring/Research – 1a, b; 7 Other – 1; 2	KAWARTHA CONSERVATION <i>Ontario Ministry of Environment</i>	• Provincial Water Quality Monitoring Network
Objective - Enhance the quality of agricultural runoff				
Target				
✓ Phosphorus concentrations are reduced that will result in considerable decrease of phosphorus loading into Lake Scugog	• Surface water chemistry at watershed outlet • Surface water discharge at watershed outlet	Policies and Practices – 1h; 2b Stewardship – 1; 2a, b Education – 1b, c, d; 2a; 6 Monitoring – 1a, b;	KAWARTHA CONSERVATION <i>Ontario Ministry of Environment</i>	• Provincial Water Quality Monitoring Network • Kawartha Conservation Environmental Monitoring Program
✓ Nitrogen concentrations are reduced as a result of watershed-wide implementation of Best Management Practices in agriculture	• Surface water chemistry	Policies and Practices – 1h; 2b Stewardship – 2a, b Education – 1c, d; 2a; 6 Monitoring – 1a, b	KAWARTHA CONSERVATION <i>Ontario Ministry of Environment</i>	• Provincial Water Quality Monitoring Network
AQUATIC RESOURCES				

Watershed Target		Indicator	Monitoring Responsibility	Existing Monitoring
Environmental		Progress	LEAD / Partners	Program Details
Objective - Maintain native aquatic species and communities				
Target				
✓ Naturally-reproducing Brook Trout within coldwater-designated watercourses	<ul style="list-style-type: none"> • Presence of Brook Trout • Evidence of reproductive success 	Policies and Practices – 1a, b, c, d, e, g, h, m; 2b; 4; 67 Stewardship – 1; 2; 3; 5; 6; 8; 10; 11 Education – 1; 2a, c, e, f, h; 4; 5; 6; Monitoring – 1a, b; 3; 4; 5; 6; 7 Other – 2; 3; 4; 5	KAWARTHA CONSERVATION ONTARIO MINISTRY OF NATURAL RESOURCES <i>Fisheries and Oceans Canada</i> <i>Ontario Federation of Anglers and Hunters</i>	<ul style="list-style-type: none"> • Currently no monitoring program exists
✓ Maintenance of native species biodiversity	<ul style="list-style-type: none"> • Aquatic biodiversity • Presence of invasive species 	Policies and Practices – 1a, b, c, d, e, g, h, m; 4; 6; 7 Stewardship – 1; 2; 3; 5; 6; 8; 10; 11 Education – 1; 2a, c, e, f, h; 4; 5; 6 Monitoring/Research – 1a, b; h -3; 4; 5; 6 Other – 2; 3; 4	KAWARTHA CONSERVATION ONTARIO MINISTRY OF NATURAL RESOURCES ONTARIO FEDERATION OF ANGLERS AND HUNTER	<ul style="list-style-type: none"> • Currently no monitoring program exists for monitoring aquatic biodiversity • Invasive Species Awareness Program
Objective - Enhance In-stream and riparian habitat conditions				
Target				
✓ Increased aquatic habitat connectivity	<ul style="list-style-type: none"> • Degree of habitat fragmentation 	Policies and Practices – 1a, b, d, h; 2b; 4; 6 Stewardship – 3; 6; 10 Education – 1b; 2a; 4; 5; 6 Monitoring/ Research – 1b; 5; 6	KAWARTHA CONSERVATION	<ul style="list-style-type: none"> • Currently no monitoring program exists
✓ Maintenance or increase of natural riparian areas along watercourses	<ul style="list-style-type: none"> • Riparian land use coverage along entire watercourse length 	Policies and Practices – 1a, b, h; 4 Stewardship – 3; 6; 10 Education – 1b; 2a; 5; 6 Research – 6	KAWARTHA CONSERVATION	<ul style="list-style-type: none"> • Kawartha Conservation Environmental Monitoring Program
✓ Increase in natural riparian areas along headwater streams	<ul style="list-style-type: none"> • Riparian land use coverage along 1st, 2nd and 3rd order streams 	Policies and Practices – 1a, b, h; 4 Stewardship – 3; 6; 10 Education – 1b; 2a; 5; 6 Research – 6	KAWARTHA CONSERVATION	<ul style="list-style-type: none"> • Kawartha Conservation Environmental Monitoring Program

Watershed Target	Environmental	Indicator	Progress	Monitoring Responsibility <i>LEAD / Partners</i>	Existing Monitoring Program Details
<ul style="list-style-type: none"> ✓ Decrease in water temperatures within coldwater-designated watercourses 	<ul style="list-style-type: none"> • Summer maximum water temperatures • Thermal regime change 	Policies and Practices – 1a, b, d, h; 2b; 4; 6 Stewardship – 3; 6; 10 Education – 1b; 2a; 4; 5; 6 Monitoring/Research – 1a, b; 5; 6	KAWARTHA CONSERVATION Ontario Ministry of Natural Resources Fisheries and Oceans Canada Ontario Federation of Anglers and Hunters	<ul style="list-style-type: none"> • Kawartha Conservation Environmental Monitoring Program 	
TERRESTRIAL RESOURCES					
Objective - Enhance and maintain natural cover across the landscape					
Target					
<ul style="list-style-type: none"> ✓ Increase in forest cover to minimum 30% 	<ul style="list-style-type: none"> • Forest cover 	Policies and Practices – 1a, b, c, f; 3 Stewardship – 3; 4 Education – 2a, c; 5; 6 Other – 6; 7	KAWARTHA CONSERVATION Ontario Ministry of Natural Resources	<ul style="list-style-type: none"> • Kawartha Conservation Environmental Monitoring Program 	
<ul style="list-style-type: none"> ✓ Increase in interior forest habitat to 5-10% of total forest cover 	<ul style="list-style-type: none"> • Forest cover greater than 100-200 metres from edge 	Policies and Practices – 1a, b, f; 3 Stewardship – 4 Education – 2a; 5; 6 Research – 6 Other – 6; 7	KAWARTHA CONSERVATION Ontario Ministry of Natural Resources	<ul style="list-style-type: none"> • Kawartha Conservation Environmental Monitoring Program 	
<ul style="list-style-type: none"> ✓ Increase in connectivity of natural cover 	<ul style="list-style-type: none"> • Connectivity of forest, wetland, and meadow cover • Degree of fragmentation 	Policies and Practices – 1a, b, c, e, f, k, m; 2a, b; 3; 4 Stewardship – 3; 4 Education – 2a; 5; 6 Other – 5; 6	KAWARTHA CONSERVATION Ontario Ministry of Natural Resources	<ul style="list-style-type: none"> • Kawartha Conservation Environmental Monitoring Program 	
<ul style="list-style-type: none"> ✓ Maintenance or increase in wetland cover 	<ul style="list-style-type: none"> • Wetland cover 	Policies and Practices – 1a, b, c, k, m; 2a, b; 3; 4 Stewardship – 3	KAWARTHA CONSERVATION Ontario Ministry of Natural Resources	<ul style="list-style-type: none"> • Kawartha Conservation Environmental Monitoring Program 	

Watershed Target		Indicator	Monitoring Responsibility <i>LEAD / Partners</i>	Existing Monitoring Program Details
	<i>Environmental</i>		<i>Progress</i>	
		Education – 2a; 5; 6 Other – 5; 6; 7		
Objective - Maintain native terrestrial species and communities				
Target				
✓ Maintenance of native diversity	<ul style="list-style-type: none"> • Terrestrial biodiversity • Invasive species 	Policies and Practices – 1a, b, c, f, h, I, k, m; 2a, b, 3 Stewardship – 3, 4; 8 Education – 2a, e, f; 5 Other – 6, 7	KAWARTHA CONSERVATION ONTARIO MINISTRY OF NATURAL RESOURCES ONTARIO FEDERATION OF ANGLERS AND HUNTERS	<ul style="list-style-type: none"> • Currently no monitoring program exists • Invasive Species Awareness Program
✓ Protection of species at risk and their critical habitats	<ul style="list-style-type: none"> • Terrestrial biodiversity 	Policies and Practices – 1a; 2a, b; 3 Stewardship – 3; 4; 8 Education – 2a, e, f; 5 Other – 5, 6	ONTARIO MINISTRY OF NATURAL RESOURCES	<ul style="list-style-type: none"> • Currently no monitoring program exists

6.0 Conclusions

The Oak Ridges Moraine Conservation Plan sets the following vision for the Oak Ridges Moraine:

“a continuous band of green, rolling hills that provides form and structure to south-central Ontario, while protecting the ecological and hydrological features and functions that support the health and well-being of the region’s residents and ecosystems.”

Completion of the four watershed plans, Nonquon River, East Cross Creek, Blackstock Creek, and the South Lake Scugog Tributaries, will satisfy an important requirement of the Oak Ridges Moraine Conservation Plan. Implementation of the Nonquon River Watershed Management Plan simultaneously with the implementation of the three plans for adjacent watersheds will provide protection and enhancement of the ecological and community health of this part of the Oak Ridges Moraine, contributing to the overall vision for the moraine. In addition, these four plans will provide a similar level of protection and enhancement for the associated watershed areas downstream from the moraine.

Nonquon River and the three associated watersheds share a common vision:

“A watershed where its water and associated natural and cultural features are of the highest quality to provide overall ecological integrity and to serve human use”.

The process of developing and implementing this plan will achieve this vision, only through the cooperation and partnerships of municipalities, agencies, and non-government organizations, and most importantly, with a willing and involved community. The plan has been developed with the cooperation and active participation of a broad array of groups (see “Acknowledgments” at the front of the plan). Other groups and individuals have participated through the surveys and open houses for the Nonquon River Fisheries Management Plan and the watershed plan. All these groups and individuals, and more, will be needed to make the plan a success and achieve the vision. Implementation will begin immediately, in a measured way, over an extended period of time. Its success will rely upon the resources that all parties and individuals can bring to the table, guided by the priorities set in the Implementation Plan (Chapter 4).

The Nonquon River watershed demonstrates, for the most part, a healthy and vibrant natural environment in a community that faces no significant threats or issues. The plan notes a number of cases where the existing data and information is weak or incomplete, and it will be important to rectify this through increased monitoring programs so the state of the watershed’s resources can be confirmed for the future. One issue of some concern is the quality of the water on the river in the lower reaches of the watershed. The strategies and actions related to “Education, Awareness, and Outreach” will be of a high priority as will a myriad of “Stewardship Activities.”

The plan includes a long list of recommended management actions under the headings: Policies and Practices; Stewardship Activities; Education, Awareness, and Outreach; Monitoring and Research; and Other (Chapter 4). Their implementation will ensure that the Nonquon River watershed maintains its health and vibrancy, improves those aspects identified as issues, and ultimately achieves the stated vision for the watershed.

Glossary of Terms

Adaptive management	A management plan that acknowledges the uncertainty of a managed system and therefore integrates design, management, and monitoring in order to allow managers to adapt and to learn.
Agricultural activities	Refers to any actions related to farm operations. This includes, but is not limited to, growing crops, raising livestock, spreading manure, irrigation and clearing fields.
Aquifer	Layer of permeable rocks or loose materials (gravel, sand) that is saturated with water and through which groundwater moves and can be extracted using a water well.
Baseflow	The portion of stream flow that is entirely attributed to groundwater inputs.
Benthic macroinvertebrates	The name used to describe stream dwelling organisms, with no backbones, living in the substrate. They are small in size but large enough to be seen by the unaided eye.
Best management practice (BMP):	A term used to describe the preferred method of management that has proven to reliably lead to a desired result. Usually associated with stormwater management or agricultural practices.
Biodiversity	The variability among living organisms and the ecological complexes of which they are part. A healthy ecosystem is traditionally one with a high level of biodiversity.
Climate	The average weather (usually taken over a 30-year time period) for a particular region and time period. Climatic elements include precipitation, temperature, humidity, sunshine and wind velocity and phenomena such as fog, frost, and hail storms.
Coldwater	A stream can be classified as cold water if its temperature is regularly < 18oC.
Coldwater fish	Fish species such as brook trout that prefer colder water temperatures (usually below 15°C).
Cultural	Refers to the aesthetic, historic, scientific or social value of items or places and are importance to past, present or future generations.
Development	Means the creation of a new lot, a change in land use, or the construction of buildings and structures, requiring approval under the Planning Act (Ontario Provincial Policy Statement 2005).
Dissolved oxygen (DO):	The oxygen dissolved in water. Dissolved oxygen is necessary for the life of fish and other aquatic organisms.
Ecological functions	Means the natural processes, products or services that living and non-living environments provide or perform within or between species, ecosystems and landscapes, including hydrological functions and biological, physical, chemical and socio-economic interactions.
Ecological integrity	Which includes hydrological integrity, means the condition of ecosystems in which, (a) the structure, composition and function of the ecosystems are unimpaired by stresses from human activity, (b) natural ecological processes are intact and self-sustaining, and (c) the ecosystems evolve naturally.
Ecosystem	A recognizable ecological unit such as a group of plant and animal species living together in a particular area.

Erosion	The removal of soil sediment and rock in the natural environment. This may be as a result of natural processes such as weathering or through anthropogenic processes such as deforestation and poor farm management practices.
Fauna	A synonym for animals.
Flora	A synonym for plants.
Game fishes	Also called “sport fishes.” Species of fish sought by recreational fisherman (trout, bass, salmon, etc).
Groundwater	Water located beneath the surface, usually in aquifers or other porous spaces.
Groundwater discharge	An area where water leaves the underground, saturated zone and is exposed to the surface. The flow rate is usually expressed in cubic metres per second.
Habitat	An ecological or environmental area that is inhabited by a particular organism and that influences or is utilized by that organism.
Headwaters	Upper reaches of tributaries in a drainage basin.
Hydrological integrity	Means the condition of ecosystems in which hydrological features and hydrological functions are unimpaired by stresses from human activity.
Infiltration	Water entering the ground via pores in the earth’s surface.
In-stream barriers:	Any structure spanning the entire width of a watercourse that blocks upstream movement of fish species (e.g., dam or weir).
Invasive species	A non-indigenous plant or animal, e.g., Eurasian milfoil (Also see: native species)
Native species	A species that is indigenous to an ecosystem in that it occurs there naturally without any human intervention.
Nitrates	The chemical form of nitrogen. A plant nutrient and inorganic fertilizer that enters water supply sources from septic systems, animal feed lots, agricultural fertilizers, manure, industrial waste waters, sanitary landfills and garbage dumps.
Nutrients	In terms of water quality, this refers to the chemicals that aquatic vegetation requires for vital functions. Nutrients include phosphorus, nitrogen, potassium and some other chemical elements.
Non-point source	Diffuse pollution sources (e.g. without a single point of origin or not introduced into a receiving stream from a specific outlet). The pollutants are generally carried off the land by storm water. Common nonpoint sources are agriculture, forestry, urban, mining, construction, dams, channels, land disposal, and city streets.
Oak Ridges Moraine	One of the most significant landforms in southern Ontario. It contains the headwaters of 65 river systems and has a wide diversity of streams, woodlands, wetlands, kettle lakes, kettle bogs and significant fauna and flora.
Off-line ponds	Small, often man-made waterbodies that are not connected to a central watercourse (stream, river or lake).
On-line ponds	Small, often man-made waterbodies that are connected to watercourses.
Perched culvert	A culvert under a road crossing that is elevated considerably from the stream bed, blocking the passage of fish from one side of the crossing to the other.
Provincial Groundwater Monitoring Network	A partnership program between the province of Ontario and conservation authorities to collect and manage ambient (baseline) groundwater level and

quality information from key aquifers located across Ontario.

Provincial Water Quality Monitoring Network

Ontario’s provincial water quality monitoring network collects surface water quality information from streams at locations across Ontario in partnership with conservation authorities. The standard set of water quality indicators monitored at each station includes chloride, nutrients, suspended solids, trace metals and other general chemistry parameters. Other substances such as pesticides and other contaminants are monitored in detailed water quality surveys in priority watersheds.

Provincially significant wetland (PSW):

Based on the guidelines for wetland management (MNR, 1984), these are wetlands classed as 1 through 3 in the wetlands policy (Section 3 of the Planning Act).

Recharge

In regards to groundwater, recharge refers to water being added to a groundwater system such as an aquifer.

Restoration

Returning an altered landscape back to its original form through physical restructuring and the reintroduction of native species. For example, shoreline restoration or naturalization refers to the removal of non-natural features such as lawns and break walls and the addition of native plant species.

Riparian (zone/area):

The interface between land and a stream or lake.

Riparian vegetation

Streamside vegetation that provides temperature control (shading), habitat diversity, bank stability, food and shelter to aquatic organisms and their habitats.

Runoff

The portion of rainfall, melted snow or irrigation water that flows across the surface and eventually returns to streams. Runoff can pick up pollutants from the air or the land and carry them to the receiving waters.

Site alteration

Means activities, such as grading, excavation and the placement of fill that would change the landform and natural vegetative characteristics of a site (Ontario Provincial Policy Statement 2005). Note, this does not apply to existing agricultural uses, such as: conversion of pasture into cultivated lands.

Spawning habitat

An area within a watercourse where deposition and fertilization of eggs takes place.

Stakeholder

An individual or organization that has an interest in the outcome of a particular product, service or decision, or any individual or organization that is impacted by a decision.

Stewardship

The integration and application of environmental values in order to improve quality of life and preserve valuable natural resources for present and future generations.

Stormwater

A term used to describe water that originates during a precipitation event. Usually used to define water that flows through storm sewer systems in urban areas.

Substrate

(1) The substance forming the bottom of the stream or lake bed; a general term for any benthic habitat. (2) The base on which an organism lives, or other solid surface to which animals or plants attach, or on which they move.

Subwatershed

A subsection of a watershed. (Also see: watershed)

Surface water

Precipitation that does not soak into the ground or return to the atmosphere but instead flows through streams, rivers, lakes and wetlands.

Sustainable development

A pattern of resource use that aims to meet human needs while preserving the environment so that these needs can be met not only in the present, but

also for future generations.

- Urban area** An area with an increased density of human-created structures and population when compared to surrounding areas. In Canada, an urban area is defined as having more than 400 people per square kilometre and has more than 1,000 people in total.
- Tributary** A contributing stream or river; one that runs into another or into a lake.
- Water balance** The concept of maintaining the various water budget components after urban development.
- Water budget** A summary of the quantity of water in the atmosphere, ground and surface water systems within a watershed.
- Water quality** An integrated index of chemical, physical and microbiological characteristics of natural water that determines suitability of water for the aquatic life and various human uses.
- Water quantity** An amount of water (e.g. flow, velocity, discharge, water levels).
- Watercourse** Means an identifiable depression in the ground in which a flow of water regularly or continuously occurs.
- Watershed** The total area of land that drains to a river or other large body of water.
- Wetland** Means lands that are seasonally or permanently covered by shallow water, as well as lands where the water table is close to or at the surface. In either case the presence of abundant water has caused the formation of hydric soils and has favoured the dominance of either hydrophytic plants or water tolerant plants. Periodically soaked or wet lands being used for agricultural purposes which no longer exhibit wetland characteristics are not considered to be wetlands for the purposes of this definition.
- Woodland** Treed areas that provide environmental and economic benefits such as erosion prevention, water retention, provision of habitat, recreation and the sustainable harvest of woodland products.

References

- Conservation Ontario. 2003. Watershed management in Ontario: lessons learned and best management practices.
- GENIVAR. 2011. Watershed Characterization (Groundwater) - South Lake Scugog Watersheds Regional Municipality of Durham. Newmarket, Ontario.
- Kawartha Conservation. 2008. Watershed Characterization Report. Lindsay, Ontario.
- Kawartha Conservation. 2009. Nonquon River Fisheries Management Plan. Lindsay, Ontario.
- Kawartha Conservation. 2010. Lake Scugog Environmental Management Plan. Lindsay, Ontario.
- Kawartha Conservation. 2011. Nonquon River Watershed Characterization Report. Lindsay, Ontario.
- OMMAH (Ontario Ministry of Municipal Affairs and Housing). 2002. Oak Ridges Moraine Conservation Plan.
- Palmer, R.M. 2005. Nonquon River Subwatershed Study and Nonquon River Industrial Tributary Area Master Drainage Plan. Prepared by Greenland International Consulting Ltd. and Stantec Consulting Ltd.
- Province of Ontario. 2007. Oak Ridges Moraine Conservation Plan Technical Paper 9: Watershed Plans.
- TCCSPC (Trent Conservation Coalition Source Protection Committee). 2010. Proposed Assessment Report.

Appendix - Summary of Public Consultation

Appendix A: Nonquon Open House – Seagrave: July 14, 2009

Attendance: 20 People

General Atmosphere:

- Information-session style approach
- Lots of interested attendees
- Community wants to see on the ground action to improve the river and is willing to be part of this action

Community Comments:

- Excessive weed and plant growth within the river (weeds were not there 30 years ago)
- The river used to be pristine, “one of the most beautiful nature areas”
- Algae that covers everything, dies and turns brown
- Water clarity / Sedimentation issues (used to be able to see the bottom off the bridge)
- Nonquon River Water Pollution Control Plant (Flushing of the system – hypothesize that spikes in TP graph correlate with “flushing” of the lagoons, Inadequate capacity – overflowing when there is heavy rainfall, Untreated releases into the river, Notion that “even though it meets the provincial guideline it is still a major concern, Ponds are emptied more than just once in the spring and once in the fall, Areas where raw sewage “leaks” into river)
- Fish habitat (Walleye and muskellunge spawning has traditionally been higher up the river, Gravel bottom has been covered over by sediment, Lots of black crappie, Bullhead population has seriously declined – used to be in the 1000’s)
- Plant decay forms sediment (Lake Scugog used to be deeper, 7’ deep off of government dock, Slowly filling with sediment)
- Old abandoned landfills/dumps (Contribute runoff contaminants to the streams and rivers, Higher incidences of cancer, Location on Durham road 6 near Seagrave that leaches, Behind PP Canadian Tire)
- No more farms or houses added in the last 30 years (The biggest change is the lagoons)
- Unaware of associated programs (LSEMP, Durham master plan for wastewater)
- Used to cut hay in the early 1950s right up to the bank of the Nonquon River
- Larger wildlife seem to be present but there are not many smaller wildlife
- Decline in the number of amphibians and turtles

Appendix B: Nonquon Open House – Utica: July 16, 2009

Attendance: 9 People

General Atmosphere:

- Information-session style approach
- Interested and engaged audience
- Long term knowledge of the watershed – local names, and historic features
- Overall desire to understand what’s going on in the system
- Willing to undertake on the ground stewardship projects
- Some have already undertaken some stewardship projects such as fencing off stream and riparian plantings

Community Comments:

- Higher water levels this year – some flooding (Mast Rd.)
- Impact of road salt, dust suppressants and sediments from gravel roads on the headwaters reaches.
- Change in farming techniques and practices – larger scale industrial processes that use a larger area and often encroach into riparian areas.
- Lack of amphibian data
- No more creek chub in the tributary that flows through Manchester
- Greater flow this year, stream was dry in 2007
- Sedimentation from road at Mast Rd crossing
- Some dug wells are no longer replenishing
- Some drilled wells do not produce good quality groundwater, contain sulfur, methane and rust
- Wettest year in 15 years
- Elm trees dying along the river – reducing shade cover
- Trash from 7A
- Road runoff and sedimentation was their biggest concern.

Appendix C: Questionnaire Summary

Nonquon River Watershed Plan Questionnaire Summary - 2009

(values are expressed as % out of 24 total respondents; majority of respondents from Seagrave)

What is your connection to the Nonquon River?

Live in the watershed	100	Work in the watershed	8
Cottage/Camping	0	Agriculture	4
Hiking/walking	50	Hunting	13
General recreation	42	Canoeing	63
Fishing	50	Swimming	4
Nature study	21	Don't use	0

Other: Boat access to Lake Scugog, Snowmobiling

How long have you lived near the Nonquon River, or used the watershed for recreational purposes?

<1 year	4
1-5 years	13
6-10 years	8
11-15 years	13
>16 years	50
Entire life	17

In your opinion, what part of watershed planning would benefit you the most?

Lagoon system upgrade	Upkeep of the river: weed control, elimination of algae, encourage more wildlife
Groundwater concerns	Weed control, erosion of shorelines
Marsh and stream maintenance program	Elimination of the lagoon system in Port Perry in favour of a water filtration plant
Publication of plans; changes in watershed management; regulations; conditions, etc.	Lagoons impact on Nonquon River and Lake Scugog water quality
Maintaining a healthy watershed	Having the Nonquon River returned to the way it was in 1964 (clean, no weeds and scum)
All planning	Ability to improve shoreline in order to protect river
Education/recreation/interpretive projects	Clean up the river so I can row my boat
What I can do to improve my property	

Do you draw water from the creek?

Yes	55
No	45

Based on your experience, is...

	Improving	Same	Dedining	N/A
Water Quality	8	21	67	4
Water levels	17	21	54	8
Overall health aquatic	4	21	67	8
Overall health terrestrial	0	42	38	17
Amount of forest cover	4	42	46	8

Would you be interested in undertaking projects on your such as tree planting, fish habitat restoration, implementing nutrient management practices and/or Environmental Farm Plans?

No	13
Yes	17
Yes, if funding was easily available	46
Yes, I already have	21

Details of completed projects: tree planting, Fenced off cattle from stream, Shoreline naturalization

Appendix D: Watershed Planning Public Information Sessions - July 2011

Nestleton - July 20, 2011

Attendance: 13 People

Greenbank - July 21, 2011

Attendance: 5 People

General Atmosphere:

- Information-session style approach (w/ presentation at Nestleton)
- Material included draft Management Goals, Objectives and Implementation Actions
- After the sessions, it was felt that holding the Open Houses during the summer, combined with the heat wave that occurred and the fact that there are limited "high profile" issues within these watersheds contributed to the limited attendance.

Community Comments:

- Potential contaminated fill - concerns with respect to the dumping of potentially contaminated fill and potential impacts to groundwater resources
- Bio-solid applications - concerns with potential for biosolid applications impacting surface and groundwater resources
- Renewable Energy Projects - concerns that wind turbines and large-scale solar-farms will have an impact on wildlife
- Cumulative Effects - concerns that impacts from multiple sources have the potential to "accumulate" and cause significant harm to natural environment
- Climate Change - concerns raised about the uncertainty associated with climate change
- Water Use and Supply (Port Perry) - questions asked with respect to the alternative sources for Port Perry's future water supply

Appendix E: Watershed Planning Public Information Sessions - November 2011

Greenbank - November 2, 2011 - Greenbank Community Hall

Attendance: approximately 15 people.

Format:

- Information-session style approach (w/ presentation)
- Display material included draft Goals, Objectives, Targets, Key Issues, Implementation Plan and Monitoring Plan

Community Comments:

- from 3 or 4 individuals in attendance: general concerns about application of biosolids in the watersheds and the potential for environmental and human health effects; also concerns about enforcement (i.e., who is policing the permits?) and jurisdiction (i.e., who's jurisdiction do they fall under?).
- general concern about commercial fill on Lake Ridge Road (Uxbridge)
- a few individuals expressed concerns about the effluent quality, and building footprint, of a large mushroom farm in Scugog Township
- individual identified a wetland that was drying up on his property, over the last 20 years, concerned about water table (speculated that water taking around the area could be the cause)
- concerns about the "accountability" framework (i.e., who does what, who is responsible, etc.) and the lack of accountability with respect to environmental protection
- questions directed at abandoned wells and decommissioning; who is responsible for these efforts/actions and are there incentive programs

Nestleton - November 3, 2011 - Nestleton Community Hall

Attendance: approximately 20 people.

Format:

- Information-session style approach (w/ presentation)
- Display material included draft Goals, Objectives, Targets, Key Issues, Implementation Plan and Monitoring Plan

Community Comments:

- a number of individuals expressed their concerns about not wanting more rules (in terms of land restriction) and the concern that the Oak Ridges Moraine planning area (and associated land use restrictions) will expand north to include the entire watersheds; questions raised with respect to the "mandatory requirements" of provisions in the Watershed Plans.
- a few individuals wanted watershed landowners to have a say in implementation efforts and should be plugged in
- discussion around Kawartha Conservation's regulation and which lands that it applies to and that KRCA is updating Planning and Regulations Policies.
- Private well records; in terms of groundwater quality; individuals expressed that it would be beneficial, in terms of evaluating groundwater quality across the watersheds, to have access to private well test results.
- Questions and discussion regarding who has jurisdiction/responsibility of commercial fill

- Questions asked on "how does salt get into system" and general concerns about salt management; concern about potential salt contamination from an old storage facility on Jobb Road (Blackstock).
- Individual has seen KRCA collecting water quality samples near his property on Hwy7A and would like access to results.
- Concerns that action items in plans are not presented with a \$\$\$\$ figure, and how much can "we" expect to pay for these actions.
- Concerns about the delineation of Wellhead Protection Areas and the lack of consistency between science and policy when delineating these zones around municipal systems.

Appendix F: Summary of Stakeholder Comments Received from October 2011 Draft Plans

Stakeholder/Date Received/Comment (Note: abbreviated version of comments).	Kawartha Conservation Response
Agricultural Stakeholder Session (Nov 8, 2011)	
Section 3.4 (Surface Water Quality) - Wording used needs to be clearer, especially around phosphorus loadings, versus concentrations; an example is: perhaps express as kg/acre.	<u>Noted.</u> We agree with having specific and quantifiable watershed targets (expressed as kg/yr) that we are trying to achieve, and preferably by land use type. <u>Changed.</u> Added clearer terminology within Surface Water Quality section.
Implementation Plan - Clarify language with respect to: funding incentive programs.	<u>Changed.</u> Within Implementation Plan, added support for increased/sustained funding from programs such as Environmental Farm Plan and Scugog WATER Fund, specifically related to Phosphorus reduction.
Planning Action 1d - use clearer terminology; do we mean "dams" and "stormwater management facilities"?	<u>Changed.</u> Clarified intent/wording in Action Item, as it refers to instream dams/barriers.
Planning all Applicable Actions - clarify the term development and site alteration throughout the document, keep consistent use of terminology,,, what aspects of agriculture (e.g., tile drainage,, cultivation? etc.) are considered development?	<u>Changed.</u> Added definitions of Development and Site Alteration into Glossary, taken from Provincial Policy Statement 2005. Clarified that Site Alteration does not apply to existing agricultural land use such as cultivation and pasture.
Planning Action 1f - clarify target with respect to farmland property.	<u>Noted.</u> This Action Item applies to achieving Watershed-Wide targets of 30% forest cover, and does not apply to individual properties. This Action is consistent with policy direction in the Durham Official Plan.
Planning Action 1h - clarify language of watercourses and provide definition (e.g., perennial vs. seasonal, etc.).	<u>Changed.</u> Added definition of "watercourse" into Glossary, as per <i>Conservation Authorities Act</i> of Ontario.
Stewardship Action 1 - Ontario Soil and Crop Improvement Association, Grain Farmers of Ontario need to be listed as partners.	<u>Changed.</u> Specifically included agricultural community as partners in a coordinated approach to developing and implementing stewardship programs.\
Stewardship Action 2 - support for programs such as Free Soil Testing Kits, GPS precision application equipment, consider wording: "precision application equipment".	<u>Changed.</u> Changed wording to incorporate support for reducing nutrient loading through the use of precision application techniques.
Municipal Stakeholder Session (Nov 7, 2011)	
Scugog Township would like to see a presentation to their Council, prior to Durham Region approval.	<u>Noted.</u> Kawartha Conservation to arrange with Scugog

NONQUON RIVER WATERSHED PLAN – 2012

Stakeholder/Date Received/Comment (Note: abbreviated version of comments).	Kawartha Conservation Response Noted = no changes to Watershed Plans Changed = changes to Watershed Plans
	Township, an appropriate date/time/approach to present Watershed Plans to Counsel; to take place after Kawartha Conservation Board of Directors endorsement (anticipated in Feb 1, 2012).
Groundwater Quality - "While there are no problems with the overall water quality from the municipal and private wells of the watershed, there is only limited information on which to draw that conclusion." - Change private to provincial.	<u>Changed.</u> Changed private wells to provincial wells.
Table 3, Action 1c - add Greenbelt Plan.	<u>Changed.</u> Added Greenbelt Plan.
Table 3, Action 1d - need clearer verbage; i.e., does this include culverts?	<u>Changed.</u> Clarified intent/wording in Action Item, as it refers to instream dams/barriers.
Table 3, Action 1i - change wording to climate change adaptation, not adoption.	<u>Changed.</u> Changed wording to adaptation.
Table 3, Action 1n - action not appropriate under the umbrella of Action 1, need to have this action as a separate item, and add "policy framework" in place of "fill management framework".	<u>Changed.</u> Changed wording and moved Action 1n to its own Action 4. Also, added Area Municipalities, CKL and Durham as co-leads and KRCA as partner.
<u>Stewardship</u> Action 1 - Kawartha Conservation should be the lead agency that coordinates stewardship activities.	<u>Changed.</u> Added Kawartha Conservation as Lead in implementation of coordinated delivery of stewardship programs.
Action 8 - Add Ontario Ministry of Natural Resources as a partner, under the Invading Species Awareness Program.	<u>Changed.</u> Added Ontario Ministry of Natural Resources as partner.
Individual Comment (Oct 27, 2011)	
"You're just after control of farm land. You have no common sense at all, just a bunch of idiots. And if a farmer complains you take action on them. Even townships can't stand Conservation Authorities."	<u>Noted.</u> Kawartha Conservation and partners to consider landowners sensitivity to land use restrictions, upon implementation of Watershed Plans.
Nonquon Environmental Education Centre (Nov 7, 2011)	
Concerned about the affect of hunting shells and shot left along the marshes, swamps and Nonquon River area due to hunting activities.	<u>Noted.</u> Note there are Federal government initiatives to eliminate lead ammunition. Discarded shells and shots relates to a general, larger litter-issue related to recreational use of resources. The Watershed Plan encourages the Province to update Management Plan for the Nonquon Provincial Wildlife Area. <u>Changed.</u> Added action item under Outreach, to promote reduction of litter.
Concerned about garbage being dumped in the	<u>Changed.</u>

NONQUON RIVER WATERSHED PLAN – 2012

Stakeholder/Date Received/Comment (Note: abbreviated version of comments).	Kawartha Conservation Response Noted = no changes to Watershed Plans Changed = changes to Watershed Plans
Nonquon River, and on the roads along the wetlands near the river.	Added action item under Outreach, to promote reduction of litter.
Individual Comment (Nov 11, 2011)	
Concerned about expansion of Oak Ridges Moraine Conservation Plan regulations to the entire watersheds.	<u>Noted.</u> No items in Watershed Plans to suggest that Oak Ridges Moraine Conservation Plan regulations be extended to include Watersheds in their entirety. ORMCP scheduled for provincial review in 2015, property owners can address this issue at that time.
Concern about Kawartha Conservation conducting fisheries work. Suggests that this is the sole responsibility of the Ontario Ministry of Natural Resources.	<u>Noted.</u> Kawartha Conservation does not undertake any fisheries work for the purpose of managing fisheries or fish populations. We sample fish populations only from the standpoint of understanding watershed health/condition, which is part of our broader environmental monitoring program.
Concern about the potential use of private well records to expand the database that provides information on groundwater quality in watersheds.	<u>Noted.</u> Other citizens have suggested that the use of private well information be considered as a way of expanding our groundwater quality monitoring capability. However, there are concerns about privacy considerations and what the information would be used for. Preliminary indication that these data would be limited. No action contemplated at this time; better understanding required of benefits vs. concerns.
Concerned over the spreading of biosolids and the potential environment impacts.	<u>Noted.</u> Our understanding from OMAFRA is that there is a regulatory process in place governing the application of biosolids. However, the public seems to be unaware of this process. <u>Changed.</u> Added Action item under Outreach to increase public awareness regarding biosolid practices and regulations.
Municipality of Clarington (Oct 31, 2011)	
Change Clarington Township to Municipality of Clarington in East Cross Creek Watershed Plan, remove Uxbridge from Blackstock Watershed Plan.	<u>Changed.</u> Changed wording in both plans.
Interested in a common Natural Heritage Systems approach among Conservation Authorities.	<u>Noted.</u> Kawartha Conservation to consider consistency of Natural Heritage Systems approach between neighbouring conservation authorities.

NONQUON RIVER WATERSHED PLAN – 2012

<p>Stakeholder/Date Received/Comment</p> <p>(Note: abbreviated version of comments).</p>	<p>Kawartha Conservation Response</p> <p>Noted = no changes to Watershed Plans Changed = changes to Watershed Plans</p>
<p>Lakeridge Citizens for Clean Water (Nov 11, 2011)</p>	
<p>Support the plans comments under Table 3, Section 1m and 1n, which address the need for local authorities to manage the potential impacts of large-scale fill operations and to appeal to the province to develop a comprehensive fill management network.</p>	<p><u>Noted.</u> No further action necessary.</p>
<p>There is a direct link between Action 1n, and achieving all 6 Watershed Goals.</p>	<p><u>Changed.</u> Added direct links (large checkmarks) to each goal</p>
<p>Individual Comment (Nov 4, 2011)</p>	
<p>Groundwater and surface water has to be protected and managed with the least amount of intrusion and complication to landowners.</p>	<p><u>Noted.</u> Kawartha Conservation and partners to consider landowners sensitivity to land use restrictions, upon implementation of Watershed Plans.</p>
<p>Concerned that the 4 watersheds, in their entirety, will become part of the Oak Ridges Moraine Conservation Plan. Suggestion that if this were to be the case, properties be exempted from regulations until such time as they are sold for another purpose or outside the family.</p>	<p><u>Noted.</u> No items in Watershed Plans to suggest that Oak Ridges Moraine Conservation Plan regulations be extended to include Watersheds in their entirety. ORMCP scheduled for provincial review in 2015, property owners can address this issue at that time.</p>
<p>Would like to see a panel of landowners, municipal representatives along with environmental agencies to oversee the decision-making including if applicable permit review and permit granting, plan change approvals and areas variation approvals.</p>	<p><u>Noted.</u> Watershed Plans do not set policy, but provide recommendations with respect to the need for additional policies and/or policy changes. The Plan(s) have no authority over ORMCP land use decisions and/or approval requirements of municipalities, and other agencies with respect to regulations and bylaws they administer.</p>
<p>Individual Comment (Nov 3, 2011)</p>	
<p>Would like to see Kawartha Conservation have access to private drinking water tests to fill in groundwater quality gaps.</p>	<p><u>Noted.</u> Other citizens have suggested that the use of private well information not be considered as a way of expanding our groundwater quality monitoring capability. However, there are concerns about privacy considerations and what the information would be used for. Preliminary indication that these data would be limited. No action contemplated at this time; better understanding required of benefits vs. concerns.</p>
<p>Individual Comment (Nov 2, 2011)</p>	
<p>Plans need to address conflicts within the Greenbelt with compensation to land owners; Greenbelt legislation needs to be enforced.</p>	<p><u>Noted.</u> Enforcement already addressed in Table 3, Action 2; no further action necessary.</p>
<p>Lack of strategies available for landowners to control purple loosestrife and dog strangling vine.</p>	<p><u>Noted.</u> See Table 5, Education and Outreach, a high priority</p>

NONQUON RIVER WATERSHED PLAN – 2012

<p>Stakeholder/Date Received/Comment</p> <p>(Note: abbreviated version of comments).</p>	<p>Kawartha Conservation Response</p> <p>Noted = no changes to Watershed Plans Changed = changes to Watershed Plans</p>
	item is developing and distributing information related to proper invasive species management techniques.
Riparian health assessment and programs should be more available to farmers for riparian restoration.	Noted. See Table 4, Stewardship, includes actions that encourage Environmental Farm Plan uptake, which includes riparian area management incentives.
Need to bring together small organizations into a larger "Scugog headwaters society" with monthly meetings and designated community representatives.	<u>Noted.</u> The newly formed Lake Scugog Implementation Committee has been set up to guide implementation of various recent planning initiatives in the Lake watershed (e.g., Nonquon River Fisheries Management Plan, Lake Scugog Environmental Management Plan, etc.).
Durham Region (Nov 21, 2011) - GENERAL COMMENTS for all 4 plans	
Table 3, Item 1c - please include a reference to the Greenbelt Plan.	<u>Changed.</u> Greenbelt Plan added.
Table 3, item 1d - please revise the wording to recognize that infrastructure (e.g., new bridges) would be exempt.	<u>Changed.</u> Clarified intent/wording in Action Item, as it refers to instream dams/barriers.
Table 3, item 1h - for clarity purposes, you may want to consider dividing this into two subsections (1) work towards a target of 75% natural cover in riparian areas; and (2) establish "minimum vegetation protection zone" policies and 30 metre development setbacks to protect and restore vegetation along watercourses.	<u>Changed.</u> Reworked action item into 2 separate action items under Action 1.
Table 3, item 1i - consider rewording as follows: "encourage new development to address climate change adaptation and mitigation strategies.	<u>Changed.</u> Changed wording to adaptation.
Table 3, item 7 - suggested that the Lead be changed from Regional Health Unit to the Area Municipalities.	<u>Changed.</u> Changed Lead to be Area Municipalities; Durham Regional Health Unit remained a partner.
Table 4, item 1 - suggested that a lead agency (i.e., Kawartha Conservation) be identified for this action.	<u>Changed.</u> Kawartha Conservation added to lead.
Table 4, item 5 - it is suggested that the wording of this Action be revised to recognize that a program should be created. Further, it is suggested that the property owners be added to list of partners.	<u>Changed.</u> Added Landowners as partner, changed wording to: "Develop a program, with financial incentives as appropriate, ..."
Durham Region (Nov 21, 2011) - NONQUON RIVER WATERSHED PLAN	
Page vii, surface water - it should be noted that the Class EA for the Nonquon River Water Pollution Control Plant (NRWPCP) will examine stakeholder concerns	<u>Noted.</u> The executive summary of the Watershed Plan document does not provide enough/appropriate context/space for the reader to address this comment

NONQUON RIVER WATERSHED PLAN – 2012

<p>Stakeholder/Date Received/Comment</p> <p>(Note: abbreviated version of comments).</p>	<p>Kawartha Conservation Response</p> <p>Noted = no changes to Watershed Plans Changed = changes to Watershed Plans</p>
	<p>fully. This comment is addressed elsewhere in the document (i.e., on Page 30 - see comment below).</p>
<p>Page 14, watershed plan development, 1st bullet - it should be clarified that the NRWPCP does not have "inadequate capacity" or "overflowing".</p>	<p><u>Changed.</u> Added "public perception" to clarify source of comment.</p>
<p>Page 30, surface water - it should be clarified that the Class EA for the Nonquon WPCP will devise "options" that should address stakeholder concerns. Lake Scugog Environmental Management Plan was completed prior to EA and does not include any technical data to support the 150 kg/yr recommendation. It should be clarified that the EA will establish requirements based on technical studies.</p>	<p><u>Changed.</u> Changed wording clarified to include more detail about the Environmental Assessment process and the associated outcomes with respect to facility performance requirements.</p>
<p>Page 31 - The NRWPCP does meet the Certificate of Approval (C of A) requirements. Suggested that this target be removed.</p>	<p><u>Noted.</u> In the Watershed Plan, there is no mention of the NRWPCP with respect to meeting (or not) C of A requirements. The facilities capacity to meet C of A requirements (at present or in the future) will be an important target in reducing contaminant loading into the Nonquon River and Lake Scugog. Thus, Kawartha Conservation would like to see this target (i.e., "Nonquon River Water Pollution Control Plant effluent quality that meets Certificate of Approval criteria"), remain.</p>
<p>Page 31 - suggested that the 150 kg/yr of Phosphorus target be removed.</p>	<p><u>Changed.</u> Target removed.</p>
<p>Page 32 - suggested that the reference to the NRWPCP not exceeding 150 kg/year of phosphorus be removed.</p>	<p><u>Noted.</u> The Lake Scugog Environmental Management Plan clearly recommends that the facility does not exceed 150 kg/year of phosphorus. Thus, KRCA would like to see this "key issue" remain. As previously mentioned, the target of 150 kg/year has been removed, as the EA process will determine targets.</p>
<p>Table 7, item 6 - suggested that the Area Municipalities (Scugog, Brock, Uxbridge) and CKL be identified as Lead agencies in implementing the Community Sustainability Plans. Durham would be a partner.</p>	<p><u>Changed.</u> Changed Area Municipalities and CKL to be leads, and Durham as partner</p>
<p>Page 70, table 8, surface water - the NRWPCP currently meets the C of A for ammonia. It is suggested that the target be revised to read: "effluent quality continues to meet Certificate of Approval criteria"</p>	<p><u>Changed.</u> Changed indicator in Monitoring Plan Table 8, under the "Nonquon River Water Pollution Control Plant effluent quality meets Certificate of Approval criteria" target to "Surface water chemistry of treated</p>

NONQUON RIVER WATERSHED PLAN – 2012

<p>Stakeholder/Date Received/Comment</p> <p>(Note: abbreviated version of comments).</p>	<p>Kawartha Conservation Response</p> <p>Noted = no changes to Watershed Plans Changed = changes to Watershed Plans</p>
	effluent".
Page 71, Table 8, surface water - suggested that the reference to the NRWPCP not exceeding 150 kg/yr be removed.	<u>Changed.</u> Target removed.
Durham Region (Nov 21, 2011) - BLACKSTOCK CREEK WATERSHED PLAN	
Table 3, item 5 to 9 - there appears to be a formatting error in the table. The Lead/partners identified in the table don't appear to match with Action Items.	<u>Changed.</u> Fixed formatting errors.
Table 7, item 5 - The Action Item solely references North Durham ICSP. This plan has been completed, please remove "development". Also remove CKL. Area Municipalities should be listed as Lead Agencies.	<u>Changed.</u> Removed "development" and added Area Municipalities as Leads in implementation.
Durham Region (Nov 21, 2011) - EAST CROSS CREEK SUBWATERSHED PLAN	
Table 1 - please note that Cadmus is not a hamlet in Regional Official Plan.	<u>Changed.</u> Cadmus removed from table.
Table 7, item 6 - suggested that Area Municipalities (Scugog, Brock, Uxbridge) and CKL be Lead agencies in Integrated Community Sustainability Plan. Durham as a partner.	<u>Changed.</u> Area Municipalities and CKL changed to Lead, Durham as partner.
Durham Region (Nov 21, 2011) - SOUTHERN LAKE SCUGOG TRIBS WATERSHED PLAN	
Page iv - the ongoing EA to provide additional water capacity for Port Perry will address any concerns regarding the Permit to Take Water withdrawal amounts. Also, the plan does not appear to present any technical data to substantiate a "concern" in this regard.	<u>Changed.</u> Removed reference to potential concern with respect to PTTW withdrawal amounts. Added the following in its place... "Currently there is an ongoing Class Environmental Assessment process underway that will examine alternatives and devise options to provide additional water capacity for Port Perry."
Page 18 - the 3rd paragraph states that groundwater is removed from the "watershed" since it is returned to Lake Scugog. Revise statement to read "subwatershed".	<u>Changed.</u> Changed wording to reflect that these wells are located in the subwatershed of "Tributary 1".
Page 19, groundwater - the 1st paragraph states that groundwater is removed from the "watershed" since it is returned to L Scugog. Revise statement to read "subwatershed". Also, the water budget does not appear to substantiate any concern regarding water withdrawals.	<u>Changed.</u> Changed watershed to subwatershed. Deleted phrase that expressed concern over water withdrawal sustainability and added phrase that speaks to Class EA underway to investigate options.
Page 20, groundwater - no technical argument/data has been presented to substantiate the statement that municipal water takings are not sustainable. it is suggested that this bullet be revised/removed.	<u>Changed.</u> Removed wording "... not expected to be sustained on a long-term basis". Added wording: "the ongoing Environmental Assessment process will examine alternative approaches to servicing Port Perry while

NONQUON RIVER WATERSHED PLAN – 2012

<p>Stakeholder/Date Received/Comment</p> <p>(Note: abbreviated version of comments).</p>	<p>Kawartha Conservation Response</p> <p>Noted = no changes to Watershed Plans Changed = changes to Watershed Plans</p>
	<p>maintaining the hydrological integrity of the subwatershed." All other information within the bullet remains.</p>
<p>Table 3 - formatting error in the numbering of action items.</p>	<p><u>Changed.</u> Fixed formatting errors.</p>
<p>Table 7, item 2 and 3 - formatting error, as the lead/partners identified for each action item appears to be reversed.</p>	<p><u>Changed.</u> Fixed formatting errors.</p>
<p>Table 7, item 5 - action item solely references North Durham ISCP. this plan has been completed, so delete "development". Also, remove CKL. Area Municipalities should be listed as Lead Agencies.</p>	<p><u>Changed.</u> Removed "development" and added Area Municipalities as Leads in implementation.</p>
<p>Table 7, item 6 - action item appears to be a repeat of item 2.</p>	<p><u>Changed.</u> This item changed to Integrated Community Sustainability Plans.</p>
<p>Page 71, conclusions - water budget does not appear to substantiate any concern regarding groundwater quantity stress. Suggested that this paragraph be revised.</p>	<p><u>Changed.</u> Removed "the groundwater quantity in the watershed could be placed under some stress if the total allowable water permitted was to be taken (for Port Perry's municipal water supply), and more so if another well were to be drilled" from Conclusion.</p>
<p>EcoSpark (Nov 23, 2011) - NONQUON RIVER WATERSHED PLAN</p>	
<p>There are some inconsistencies in the spacing between sentences, as well as whether a term is capitalized or not (e.g. Brook Trout or brook trout, and Moraine or moraine). There are also some typos and grammar errors.</p>	<p><u>Changed.</u> Document has been professionally edited for spelling, grammar, and readability.</p>
<p>Terms/definitions should to be clearly and consistently defined, namely: How do you define "clean", "natural", "high quality", "healthy" in your goals. It is defined in the plan in some cases, e.g. provincial standards, but what those are should also be described.</p>	<p><u>Noted.</u> The operational definition of these terms is reflected in the targets. The goal statements are meant to be general, qualitative statements that are easily understood by the reader as a general desired state for the particular watershed component.</p>
<p>Page 5 – the percentages don't add up to 100%: 64% ET, 31% Q 3% GWnet totals to 98%.</p>	<p><u>Noted.</u> The percentages do not total 100% because this is a summary of monthly water budget components which are expressed in decimal form. Due to rounding these values, yearly water budget components do not equal 100%.</p>
<p>Section 2.4 – it doesn't really explain how these key documents related to one another, i.e. how will the 2012 Source water Protection Plan related to the Nonquon River Watershed Plan?</p>	<p><u>Noted.</u> Where appropriate, we have tried to illustrate linkages (e.g., Nonquon River Fisheries Management Plan's emphasis on aquatic habitat complements Watershed Plans). However, some initiatives are very</p>

NONQUON RIVER WATERSHED PLAN – 2012

<p>Stakeholder/Date Received/Comment</p> <p>(Note: abbreviated version of comments).</p>	<p>Kawartha Conservation Response</p> <p>Noted = no changes to Watershed Plans Changed = changes to Watershed Plans</p>
	<p>specific in nature, as in the case of Source Protection Plans and emphasis on municipal drinking water system management.</p>
<p>Figure 4 – the legend should be written out, e.g. what is delta S?</p>	<p><u>Changed.</u> Added definitions of water budget components when introducing water budget in Figure 4.</p>
<p>Page 21 – Implementation Approach – what about ongoing participation in the YPDT-CAMC Groundwater Management Program?</p>	<p><u>Changed.</u> Added ...“contribute to ongoing groundwater characterization and modelling initiatives undertaken by Conservation Authorities Moraine Coalition and Durham Region”.</p>
<p>Page 24 – last paragraph – “Potential contaminant sources....must be kept at a minimum” – what is considered minimum and by whom?</p>	<p><u>Noted.</u> The operational definition of these terms is reflected in the targets. The lead-in text are meant to be general statements that are easily understood by the reader to introduce the targets and associated implementation actions.</p>
<p>Page 25 – Issues, first paragraph – How many locations in the watersheds should be tested – do more testing sites need to be added in the implementation, and is it feasible?</p>	<p><u>Noted.</u> This is a general statement regarding the facts. We did not suggest an appropriate number of samples to be taken and/or where from which they should be taken.</p>
<p>Page 25 – Implementation Approach – could there be plans to identify abandoned/degraded wells? There should be plans to identify and test commercial/landfill sites outside of a case-by-case basis.</p>	<p><u>Noted.</u> See Monitoring Plan. Currently, no coordinated approach for tracking private well condition within the watershed, however, there is strong support to do so.</p>
<p>Page 32 – Implementation Program – Should be an Education and Awareness program around sources of pollution, feeding into public consultations around the NRWPCP upgrading.</p>	<p><u>Noted.</u> Currently Education and Awareness with respect to the NRWPCP are being undertaken through the Class EA process. See Table 5, there are action items that speak to the need for outreach materials regarding nutrient enrichment of the watershed/lake watershed.</p>
<p>Page 33 - Implementation Program for both urban and ag. objectives – Should be an Education and Awareness program around sources of the metals and chemicals, e.g. participation in World Water Monitoring Day or Water Week, etc.</p>	<p><u>Noted.</u> See Table 5, there are action items that speak to the need for outreach materials regarding issues facing the watershed/lake watershed. We have provided some examples of potential programs (e.g., Peel Water Story, Water Festivals, etc.).</p>
<p>What about incorporating an ongoing participation in SMART (Stream Monitoring and Assessment Team) to implementation of some of the objectives?</p>	<p><u>Noted.</u> Kawartha Conservation is an active participant in the SOSMART group, and regularly liaises with partners to further science understanding.</p>

NONQUON RIVER WATERSHED PLAN – 2012

Stakeholder/Date Received/Comment (Note: abbreviated version of comments).	Kawartha Conservation Response Noted = no changes to Watershed Plans Changed = changes to Watershed Plans
Ontario Ministry of Natural Resources - Aurora (Nov 25, 2011)	
Watson Crown Land Area (61 acres) which occurs in the East Cross Creeks Subwatershed is not mentioned.	<u>Noted.</u> Determined Crown Land area to be a relatively small area of completely natural land. No actions items relate to this property, therefore no further action necessary in Watershed Plan documents. However, this information to be added to East Cross Creek Subwatershed Characterization Report.